

LICENCE CONDITIONS FOR DOG BOARDING ESTABLISHMENTS

1.1	Unless otherwise stated, these conditions shall apply to all buildings and areas to which dogs have access and/or are used in association with the boarding of dogs. Use of the term "kennel" refers to combined sleeping <u>and</u> individual exercise areas.
2.	LICENCE DISPLAY
2.1	A copy of the licence and its conditions must be suitably displayed to the public in a prominent position in, on or about the boarding establishment.
3.	CONSTRUCTION
3.1	General
3.1.1	The establishment must, at all times, be laid out and operated in accordance with an approved plan, to be attached to the licence. Before carrying out any alterations, plans must be submitted to and approved by the licensing officer of the local authority.
3.1.2	Where wood has been used in existing construction it must be smooth and treated to render it impervious. Wood should not be used in exposed construction of walls, floors, partitions, doorframes or doors in the dog kennelling area. There must be no projections liable to cause injury.
3.1.3	Fencing material must be secure and safe.
3.1.4	Sleeping areas of kennels must be so insulated as to prevent extremes of temperatures.
3.1.5	The construction must be such that the security of the dog is ensured.
3.1.6	All exterior wood must be properly treated against wood rot, e.g. Tanalised. Only products that are not toxic to dogs may be used.
3.1.7	All internal surfaces used in the construction of walls, floor partitions, doors and door frames to be durable, smooth and impervious. There must be no projections or rough edges liable to cause injury.
3.2	Walls and Partitions
3.2.1	Walls with which dogs may come into contact must be of smooth impervious materials, capable of being easily cleansed. Where concrete or other building blocks or bricks are used in such walls, they must be sealed so as to be smooth and impervious, and resealed as necessary.
3.2.2	Junctions between vertical and horizontal sections should be coved. If impractical in existing premises, all joints must be sealed.
3.2.3	Partition walls between kennels must be of solid construction to a minimum height of 1.2m (4ft)
3.2.4	In new construction, the lower 765mm (27") of dividing partitions between exercise runs must be of solid construction
3.3	Floors
3.3.1	Floors of all buildings, individual exercise areas and kennels, must be of smooth, impervious materials; capable of being easily cleansed and in new kennels must incorporate a damp proof membrane.
3.3.2	All floors of kennels and individual exercise areas must be constructed and maintained in such a condition as to prevent ponding of liquids.
3.3.3	In new construction floors must be laid to a minimum fall of 1 in 80 leading to a shallow drainage channel or effectively covered deep drainage channel.
3.3.4	Communal exercise areas must be suitable drained but need not comply with condition 3.3.1

3.4	Ceilings
3.4.1	Ceilings must be capable of being easily cleansed and disinfected.
3.5	Doors
3.5.1	Kennel doors must be strong enough to resist impact and scratching and must be fitted to be capable of being effectively secured.
3.5.2	Where metal bars and frames are used, they must be of suitable gauge (approximately 10 – 14) with spacing adequate to prevent dogs escaping or becoming entrapped. Where metal edging is used, this must not present a risk of injury to the dog.
3.5.3	Door openings must be constructed such that the passage of water / waste is not impeded or allowed to gather due to inaccessibility.
3.6	Windows
3.6.1	All windows, which pose a surety risk, must be escape proof at all times.
3.7	Drainage
3.7.1	The establishment must be connected to mains foul drainage or an approved, localised sewage disposal system. The drains serving the establishment must be capable of operating efficiently at all times.
3.8	Lighting
3.8.1	During daylight hours natural light must be provided to exercise and sleeping areas so that all parts are clearly visible.
3.8.2	Adequate supplementary lighting must be provided throughout the establishment
3.9	Ventilation
3.9.1	Ventilation must be provided to all interior areas without the creation of excessive draughts in the kennels.
3.10	Maintenance
3.10.1	Maintenance and repair of the whole establishment must be carried out regularly.
4.	<u>NUMBER OF ANIMALS</u>
4.1	Number of Dogs Permitted
4.1.1	The maximum number of dogs to be kept at any one time shall be determined by the local authority and will be stipulated on the licence.
4.1.2	Each dog must be provided with a separate kennel except that dogs from the same household may share a kennel of adequate size with the written consent of the dogs' owner.
4.1.3	Holding kennels may be provided for temporarily kennelling a dog for not more than 24 hours. Holding kennels if provided, must comply with conditions required for main kennels and must be a minimum of 2.3 sq m (25 sq ft). Holding kennels must not be used as normal boarding kennels.
4.1.4	No animals other than dogs are to be boarded within the licensed facilities without the written approval of the local authority.
4.1.5	Where stray dogs are accepted by the kennels they must be kept either in a separate building from the boarded dogs or in the same building but isolated by a solid wall.
4.2	Kennel Size Layout and Exercise Facilities
4.2.1	New Kennels
4.2.1a	Each kennel must have a sleeping area of at least 1.9 sq m (20 sq ft), which can be isolated from the exercise area by a door or hatch.

4.2.1b	Each kennel must be provided with an exercise area of at least 36sq ft, which is separate from the bedding area and exclusive to that kennel, for free use by the dog at all times except at night.
4.2.2	Existing Kennels
4.2.2	Suitable bedding equipment must be provided which allows the dog to be comfortable and which is capable of being easily and adequately cleaned and sanitised. Such equipment must be sited out of draughts. All bedding material must be maintained in a clean, parasite free and dry condition.
4.2.2a	Each kennel must have a sleeping area of a least 1.9 sq m (20 sq ft).
4.2.2b	Each kennel must have either an exercise area of a least 36 sq ft, which is separate from the bedding area and exclusive to than kennel, for free use by the dog at all times except at night or a large outside run of similar minimum
4.2.3	For new kennels each kennel must be provided with an exercise area of at least 2.46 sq m (26sq ft) or 36 sq ft for larger dogs, which is separate from the bedding area and exclusive to that kennel, for free use by the dog at all times except at night.
4.2.4	Kennels must have a minimum height of 1.8m (6ft) to facilitate adequate access by kennel staff for cleaning
4.2.5	Kennels and exercise areas must open onto secure corridors or other secure areas so that dogs are not able to escape from the premises.
4.2.6	Exercise areas must not be used as bedding areas.
5	<u>MANAGEMENT</u>
5.1	A written training policy must be provided. Systematic training of staff must be demonstrated to have been carried out.
5.2	Temperature in Kennels
5.2.1	Heating facilities must be available in the kennel and used according to the requirements of the individual dog.
5.2.2	There must be some part of the dog's sleeping area where the dog is able to enjoy a temperature of at least 10°C (50°F).
5.2.3	In isolation kennels there should be a means of maintaining the temperature at a level suitable for the conditions of the dog and dependent on veterinary advice.
5.3	Cleanliness
5.3.1	All kennels, corridors, common areas, kitchens etc., must be kept clean and free from accumulations of dirt and dust and must be kept in such a means to be conducive to maintenance of disease control and dog comfort.
5.3.2	Each occupied kennel must be cleansed daily. All excreta and soiled material must be removed from all areas used by dogs at least daily and more often if necessary.
5.3.3	All bedding areas must be kept clean and dry.
5.3.4	Each kennel must be thoroughly cleansed, disinfected and dried upon vacation. All fittings and beddings must also be thoroughly cleansed and disinfected at that time.
5.3.5	Facilities must be provided for the proper reception, storage and disposal of all waste. Particular care should be taken to segregate clinical waste arising from the treatment and handling of dogs with infectious disease. The final disposal route for all such waste must be incineration.
5.3.6	Measures must be taken to minimise the risks from rodents, insects and other pests within the establishment.

5.4	Food and Water Supplies
5.4.1	All dogs must be adequately supplied with suitable food. Wholesome water must be available at all times and changed daily.
5.4.2	Eating and drinking vessels must be capable of being easily cleansed and disinfected to prevent cross contamination. They must be maintained in a clean condition.
5.4.3	Eating vessels must be cleansed after each meal.
5.4.4	Drinking vessels must be cleansed at least once a day.
5.5	Kitchen Facilities
5.5.1	Exclusive facilities, hygienically constructed and maintained, must be provided for the storage and preparation of food for the dogs.
5.5.2	Where fresh and cooked meats are stored, refrigeration facilities must be provided, and potential food contamination must be avoided.
5.5.3	A sink with hot and cold water must be provided for the washing of food equipment and eating and drinking vessels. A separate wash-hand basin with hot and cold water must be provided for staff use.
5.5.4	Containers must be provided for the storage of foods and shall be so constructed and kept in such good order, repair and condition as to be proof against insects and other pests.
5.6	Disease Control and Vaccination
5.6.1	Adequate precautions must be taken to prevent and control the spread of infectious and contagious disease and parasites amongst the dogs, staff and visitors.
5.6.2	Proof must be provided that dogs boarded or resident have current vaccinations against Canine Distemper, Infectious Canine Hepatitis (Canine adenovirus), Leptospirosis (<i>L. canicola</i> and <i>L. icterohaemorrhagiae</i>) and Canine Parvovirus and other relevant diseases. The course of vaccination must have been completed at least four weeks before the first date of boarding or in accordance with manufacturer's instructions. A record that this proof has been supplied must be kept on-site throughout the period that the dog is boarded.
5.6.3	Advice from a veterinary surgeon must be sought in case of signs of disease, injury or illness. Where any dog is sick or injured any instructions for its treatment which have been given by a veterinary surgeon must be strictly followed.
5.6.4	A well-stocked first-aid kit suitable for use on dogs must be available and accessible on site.
5.6.5	A suitable range of muzzles of varying sizes must be kept on site
5.7	Isolation
5.7.1	Isolation facilities must be provided
5.7.2	Isolation Facilities
5.7.2a	New Kennels. Isolation facilities at the rate of 1 unit per 50 boarding kennels shall be provided. This facility shall be placed at least 10m from boarding kennels. Construction shall be in compliance with boarding requirements.
5.7.2b	Existing Kennels. Isolation facilities must be in compliance with other appropriate boarding requirements but must be separate and physically isolated from the main kennels. This must be a minimum 5 m.
5.7.3	Adequate facilities to prevent the spread of infectious disease between the isolation and other kennels must be provided.
5.7.4	Hands must be washed after leaving the isolation facilities before visiting the other kennels.

5.8	Register
5.8.1	A register must be kept of all dogs boarding. The information kept must include the following: - <ul style="list-style-type: none"> - Date of arrival - Name of dog, any identification system such as microchip number or tattoo - Description, breed, age and gender of dog - Name, address and telephone number of contact person whilst boarded - Name and address and telephone number of dog's veterinary surgeon - Anticipated and actual date of departure health, welfare and nutrition requirements
5.8.2	The register must be kept readily available for a minimum of 24 months and kept in such a manner as to allow an authorised officer easy access to such information.
5.8.3	Where records are computerised, a back up copy must be kept. The register must also be available to key members of staff of the establishment at all times.
5.9	Identification Of Kennels
5.9.1	Each kennel must be clearly marked (e.g. numbered), and a system in place, which ensures that relevant information about the dog in that kennel is readily available.
5.10	Supervision
5.10.1	A fit and proper person must always be present to exercise supervision and deal with emergencies whenever dogs are boarded at the premises.
5.10.2	Dogs must be visited at regular intervals and necessary for their health, safety and welfare.
5.11	Fire Precautions
5.11.1	Appropriate steps must be taken for the protection of the dogs in case of fire or other emergencies.
5.11.2	A proper emergency evacuation plan and fire warning procedure must be drawn up and posted on the premises. This must include instructions on where dogs are to be evacuated to in the event of a fire or other emergency.
5.11.3	Fire fighting equipment must be provided in accordance with advice given by the Fire Prevention Officer
5.11.4	All electrical installations and appliances must be maintained in a safe condition. There must be a residual current circuit breaker system on each block of kennels.
5.11.5	Heating appliances must not be sited in a location or manner where they may present a risk of fire, or risk to dogs.
5.11.6	Precautions must be taken to prevent any accumulation which may present a risk of fire.
5.11.7	There must be adequate means of raising an alarm in the event of a fire or other emergency.
	<u>INSURANCE</u>
	Adequate Insurance indemnity must be arranged by the licensee to cover the maximum number of dogs boarded.
	<u>INSPECTIONS</u>
	The licensee shall permit any authorised officer of the Blackpool Borough Council to inspect the premises at all reasonable times. A veterinary surgeon, RSPCA official or any other appropriate person for the purpose of the inspection may accompany the authorised officer.

LICENCE CONDITIONS FOR DOG/CAT BOARDING ESTABLISHMENTS

1.1	Unless otherwise stated, these conditions shall apply to all buildings and areas to which dogs have access and/or are used in association with the boarding of dogs. Use of the term "kennel / unit " refers to combined sleeping <u>and</u> individual exercise areas.
2.	<u>LICENCE DISPLAY</u>
2.1	A copy of the licence and its conditions must be suitably displayed to the public in a prominent position in, on or about the boarding establishment.
3.	<u>CONSTRUCTION</u>
3.1	General
3.1.1	The establishment must, at all times, be laid out and operated in accordance with an approved plan, to be attached to the licence. Before carrying out any alterations, plans must be submitted to and approved by the licensing officer of the local authority.
3.1.2	Where wood has been used in existing construction it must be smooth and treated to render it impervious. Wood should not be used in exposed construction of walls, floors, partitions, doorframes or doors in the dog kennelling area. There must be no projections liable to cause injury. All new units must be built on a concrete base with a damp proof membrane to Building Regulation standards. This should have a minimum fall of 1 in 80 (see 3.3.2)
3.1.3	Fencing material must be secure and safe.
3.1.4	Sleeping areas of kennels/units must be so insulated as to prevent extremes of temperatures.
3.1.5	The construction must be such that the security of the dog/cat is ensured.
3.1.6	All exterior wood must be properly treated against wood rot, e.g. Tanalised. Only products that are not toxic to dogs/cats may be used.
3.1.7	All internal surfaces used in the construction of walls, floor partitions, doors and door frames to be durable, smooth and impervious. There must be no projections or rough edges liable to cause injury.
3.2	Walls and Partitions
3.2.1	Walls which dogs/cats may come into contact with must be of smooth impervious materials, capable of being easily cleansed. Where concrete or other building blocks or bricks are used in such walls, they must be sealed so as to be smooth and impervious, and resealed as necessary.
3.2.2	Junctions between vertical and horizontal sections should be covered. If impractical in existing premises, all joints must be sealed.
3.2.3	Partition walls between kennels/units must be of solid construction to a minimum height of 1.2m (4ft)
3.2.4	In new construction, the lower 765mm (27") of dividing partitions between exercise runs must be of solid construction
3.2.5	In the case of cats full-length sneeze barriers must be provided where the gap between units is less than 635mm (2 ft).
3.3	Floors
3.3.1	Floors of all buildings, individual exercise areas and kennels/units, must be of smooth, impervious materials; capable of being easily cleansed and in new kennels/units must incorporate a damp proof membrane.
3.3.2	All floors of kennels/units and individual exercise areas must be constructed and maintained in such a condition as to prevent ponding of liquids.

3.3.3	In new construction floors must be laid to a minimum fall of 1 in 80 leading to a shallow drainage channel or effectively covered deep drainage channel.
3.3.4	Communal exercise areas must be suitable drained but need not comply with condition 3.3.1
3.4	Ceilings
3.4.1	Ceilings must be capable of being easily cleansed and disinfected.
3.4.2	All exercise areas and the safety passage should be covered with mesh and impermeable material, a proportion of which must be translucent.
3.5	Doors
3.5.1	Doors must be strong enough to resist impact and scratching and must be fitted to be capable of being effectively secured.
3.5.2	Where metal bars and frames are used, they must be of suitable gauge (approximately 10 – 14) with spacing adequate to prevent dogs/cats escaping or becoming entrapped. Where metal edging is used, this must not present a risk of injury to the dog/cat.
3.5.3	Door openings must be constructed such that the passage of water / waste is not impeded or allowed to gather due to inaccessibility. Adequate constructional precautions must be taken to prevent and control the spread of infectious disease particularly by droplet infection.
3.6	Windows
3.6.1	All windows, which pose a surety risk, must be escape proof at all times.
3.7	Drainage
3.7.1	The establishment must be connected to mains foul drainage or an approved, localised sewage disposal system. The drains serving the establishment must be capable of operating efficiently at all times.
3.8	Lighting
3.8.1	During daylight hours natural light must be provided to exercise and sleeping areas so that all parts are clearly visible.
3.8.2	Adequate supplementary lighting must be provided throughout the establishment
3.9	Ventilation
3.9.1	Ventilation must be provided to all interior areas without the creation of excessive draughts in the sleeping area.
3.10	Maintenance
3.10.1	Maintenance and repair of the whole establishment must be carried out regularly.
4.	<u>NUMBER OF ANIMALS</u>
4.1	Number of Dogs/Cats Permitted
4.1.1	The maximum number of dogs/cats to be kept at any one time shall be determined by the local authority and will be stipulated on the licence.
4.1.2	Each dog/cat must be provided with a separate kennel/unit except that dogs/cats from the same household may share a kennel/unit of adequate size with the written consent of the animals owner.
4.1.3	Holding kennels/unit may be provided for temporarily kennelling a dog/cat for not more than 24 hours. Holding kennels/units if provided, must comply with conditions required for main kennels/units and must be a minimum of 2.3 sq m (25 sq ft) for dogs and 9sq ft for cats. Holding kennels/units must not be used as normal boarding kennels.

4.1.4	No animals other than dogs/cats are to be boarded within the licensed facilities without the written approval of the local authority.
4.1.5	Where stray dogs/cats are accepted by the kennels they must be kept either in a separate building from the boarded dogs/cats or in the same building but isolated by a solid wall.
4.2	Kennel/Unit Size Layout and Exercise Facilities
4.2.1	New Kennels/Units
4.2.1a	New constructions must have a sleeping area and exercise area which is exclusive to that unit. The sleeping area for dogs must be at least 1.9 sq m (20 sq ft), which can be isolated from the exercise area by a door or hatch. For cats: the sleeping area should be 0.85 sq m (9sq ft) for one cat, 1.5sq m (16sq ft) for two cats 1.85sq m (20sq ft) for up to 4 cats. (Units may be designated as suitable for a specified number of cats, greater than 4, at the discretion of the licensing authority.
4.2.1b	Each kennel/unit must be provided with an exercise area of at least 36sq ft for a dog and 1.7 sq m (18sq ft) and for one cat; 2.23sqm (24 sq ft) for two cats; 30 sq ft for up to 4 cats, which is separate from the bedding area and exclusive to that kennel/unit, for free use by the dog/cat at all times except at night.
4.2.2	Existing Boarding Establishments
4.2.2	Suitable bedding equipment must be provided which allows the dog/cat to be comfortable and which is capable of being easily and adequately cleaned and sanitised. Such equipment must be sited out of draughts. All bedding material must be maintained in a clean, parasite free and dry condition.
4.2.3	Each kennel/unit must have either an exercise area of a least 36 sq ft, which is separate from the bedding area and exclusive to than kennel/unit, for free use by the animal at all times except at night or a large outside run of similar minimum
4.2.4	All Units/Kennels must have a minimum height of 1.8m (6ft) to facilitate adequate access by kennel staff for cleaning
4.2.5	Kennels/Units and exercise areas must open onto secure corridors or other secure areas so that dogs/cats are not able to escape from the premises.
4.2.6	Exercise areas must not be used as bedding areas.
5	<u>MANAGEMENT</u>
5.1	A written training policy must be provided. Systematic training of staff must be demonstrated to have been carried out.
5.2	Temperature in Kennels/Units
5.2.1	Heating facilities must be available in the kennel/unit and used according to the requirements of the individual dog/cat.
5.2.2	There must be some part of the dog's/cats sleeping area where the dog/cat is able to enjoy a temperature of at least 10°C (50°F).
5.2.3	In isolation kennels there should be a means of maintaining the temperature at a level suitable for the conditions of the dog/cat and dependent on veterinary advice.
5.3	Cleanliness
5.3.1	All kennels/units, corridors, common areas, kitchens etc., must be kept clean and free from accumulations of dirt and dust and must be kept in such a means to be conducive to maintenance of disease control and dog comfort.

5.3.2	Each occupied kennel/unit must be cleansed daily. All excreta and soiled material must be removed from all areas at least daily and more often if necessary. For cats suitable sited litter trays which are easy to clean and are impermeable must be provided at all times. These must be emptied and cleansed at least one a day or more if necessary. A suitable material for litter must be provided.
5.3.3	All bedding areas must be kept clean and dry.
5.3.4	Each kennel/unit must be thoroughly cleansed, disinfected and dried upon vacation. All fittings and beddings must also be thoroughly cleansed and disinfected at that time.
5.3.5	Facilities must be provided for the proper reception, storage and disposal of all waste. Particular care should be taken to segregate clinical waste arising from the treatment and handling of dogs/cats with infectious disease. The final disposal route for all such waste must be incineration.
5.3.6	Measures must be taken to minimise the risks from rodents, insects and other pests within the establishment.
5.4	Food and Water Supplies
5.4.1	All dogs/cats must be adequately supplied with suitable food. Wholesome water must be available at all times and changed daily.
5.4.2	Eating and drinking vessels must be capable of being easily cleansed and disinfected to prevent cross contamination. They must be maintained in a clean condition.
5.4.3	Eating vessels must be cleansed after each meal.
5.4.4	Drinking vessels must be cleansed at least once a day.
5.5	Kitchen Facilities
5.5.1	Exclusive facilities, hygienically constructed and maintained, must be provided for the storage and preparation of food for the dogs/cats.
5.5.2	Where fresh and cooked meats are stored, refrigeration facilities must be provided, and potential food contamination must be avoided.
5.5.3	A sink with hot and cold water must be provided for the washing of food equipment and eating and drinking vessels. A separate wash-hand basin with hot and cold water must be provided for staff use.
5.5.4	Containers must be provided for the storage of foods and shall be so constructed and kept in such good order, repair and condition as to be proof against insects and other pests.
5.6	Disease Control and Vaccination
5.6.1	Adequate precautions must be taken to prevent and control the spread of infectious and contagious disease and parasites amongst the dogs/cats, staff and visitors.
5.6.2	Proof must be provided that dogs/cats boarded or resident have current vaccinations against: For Dogs; Canine Distemper, Infectious Canine Hepatitis (Canine adenovirus), Leptospirosis (L.canicola and L. icterohaemorrhagiae) and Canine Parvovirus and other relevant diseases, For Cats. Canine Distemper, Infectious feline enteritis, feline respiratory disease The course of vaccination must have been completed at least four weeks before the first date of boarding or in accordance with manufacturer's instructions. A record that this proof has been supplied must be kept on-site throughout the period that the dog/cat is boarded.
5.6.3	Advice from a veterinary surgeon must be sought in case of signs of disease, injury or illness. Where any dog is sick or injured any instructions for its treatment which have been given by a veterinary surgeon must be strictly followed.
5.6.4	A well-stocked first-aid kit suitable for use on dogs/cats must be available and accessible on site.

5.6.5	A suitable range of muzzles of varying sizes must be kept on site
5.7	Isolation
5.7.1	Isolation facilities must be provided
5.7.2	In existing facilities isolation facilities must be in compliance with other boarding requirements but must be separate and physically isolated from the main unit.
5.7.2a	New Kennels/Units. Isolation facilities at the rate of 1 unit per 50 boarding kennels shall be provided. This facility shall be placed at least 10m from boarding kennels. Construction shall be in compliance with boarding requirements.
5.7.3	Adequate facilities to prevent the spread of infectious disease between the isolation and other kennels must be provided.
5.7.4	Hands must be washed after leaving the isolation facilities before visiting the other kennels.
5.8	Register
5.8.1	A register must be kept of all dogs/cats boarding. The information kept must include the following: - Date of arrival Name of dog/cat any identification system such as microchip number or tattoo Description, breed, age and gender of dog/cat Name, address and telephone number of contact person whilst boarded Name and address and telephone number of dog's veterinary surgeon Anticipated and actual date of departure health, welfare and nutrition requirements
5.8.2	The register must be kept readily available for a minimum of 24 months and kept in such a manner as to allow an authorised officer easy access to such information.
5.8.3	Where records are computerised, a back up copy must be kept. The register must also be available to key members of staff of the establishment at all times.
5.9	Identification Of Kennels
5.9.1	Each kennel must be clearly marked (e.g. numbered), and a system in place, which ensures that relevant information about the dog in that kennel is readily available.
5.10	Supervision
5.10.1	A fit and proper person must always be present to exercise supervision and deal with emergencies whenever dogs/cats are boarded at the premises.
5.10.2	Dogs/cats must be visited at regular intervals and necessary for their health, safety and welfare.
5.11	Fire Precautions
5.11.1	Appropriate steps must be taken for the protection of the dogs/cats in case of fire or other emergencies.
5.11.2	A proper emergency evacuation plan and fire warning procedure must be drawn up and posted on the premises. This must include instructions on where dogs/cats are to be evacuated to in the event of a fire or other emergency.
5.11.3	Fire fighting equipment must be provided in accordance with advice given by the Fire Prevention Officer
5.11.4	All electrical installations and appliances must be maintained in a safe condition. There must be a residual current circuit breaker system on each block of kennels.
5.11.5	Heating appliances must not be sited in a location or manner where they may present a risk of fire, or risk to dogs.
5.11.6	Precautions must be taken to prevent any accumulation which may present a risk of fire.
5.11.7	There must be adequate means of raising an alarm in the event of a fire or other emergency.

	<u>INSURANCE</u>
	Adequate Insurance indemnity must be arranged by the licensee to cover the maximum number of dogs boarded.
	<u>INSPECTIONS</u>
	The licensee shall permit any authorised officer of the Blackpool Borough Council to inspect the premises at all reasonable times. A veterinary surgeon, RSPCA official or any other appropriate person for the purpose of the inspection may accompany the authorised officer.