


---

# Health and Wellbeing Board

## Draft Performance Framework



---

## Contents

Introduction .....	4
Performance Summary Dashboard .....	5
Performance Detail .....	6
Healthy Lifestyles .....	6
Smoking status at time of delivery .....	6
Hospital admissions due to alcohol specific conditions (Under 18) .....	6
Children’s tooth decay (at age 12).....	7
Excess weight in 4-5 year olds.....	7
Presenting with HIV at a late stage of infection .....	7
Successful completion of drug treatment – opiate users .....	8
Percentage of physically active and inactive adults .....	8
Chlamydia Diagnosis (15 – 24 year olds) - CTAD .....	8
Health and Social Care .....	9
Social Care related quality of life.....	9
Permanent admissions to care homes (aged 18 - 64) .....	9
Permanent admissions to care homes (aged 65+) .....	9
Delayed transfers of care .....	10
Delayed transfers of care attributable to social care .....	10
Overall satisfaction of people who use services with their care and support .....	11
Overall satisfaction of carers with social services .....	11
The proportion of people who use services who feel safe .....	11
Potential Years of Life Lost amenable to healthcare .....	12
Children in Care .....	12
Hospital admissions as a result of self-harm.....	13
Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth.....	13
Hospital admissions caused by unintentional and deliberate injuries in children .....	14
Recorded Diabetes.....	14
Take up of NHS Health Check Programme - health check offered.....	15
Population vaccination coverage - MMR for two doses (5 years old) .....	15

---

Under 75 mortality rate .....	16
Wider Determinants of Health.....	17
Children in Poverty .....	17
16-18 year olds not in education employment or training .....	17
Violent crime (including sexual violence) – violent offences .....	18
Children killed or seriously injured in road traffic accidents.....	18
Number of verifiable HMOs in administrative area .....	18
Appendix A - Interpretation Notes.....	19
Appendix B – Complete list of indicators.....	22
Healthy Lifestyles .....	22
Health and Social Care.....	23
Wider Determinants of Health.....	27

---

## Introduction

This document outlines a proposed framework for monitoring the performance of the Health and Wellbeing strategy, with particular focus on providing a broad view across the integrated services.

To establish a suitable indicator set the following sources were used where appropriate and where appropriate data were available:

- Public Health Outcomes Framework
- NHS Outcomes Framework
- Adult Social Care Outcomes Framework
- CCG Outcomes Framework
- CHIMAT Child Health Profiles

These indicators were then categorised into the three core themes identified in the health and wellbeing strategy:

- Healthy Lifestyles
- Health and Social Care
- Wider Determinants of Health

The complete list of all indicators is included in Appendix B for information.

In order to provide a more usable and relevant mechanism for monitoring the health and wellbeing strategy in Blackpool the Strategic Commissioning Group identified a subset of key indicators from this list. These are presented as a performance summary dashboard, followed by more detailed analysis showing trends and comparisons to National and Regional areas where available.

The remaining indicators in the outcomes frameworks will be monitored and assessed for inclusion in the framework at a later date as appropriate.

## Performance Summary Dashboard

	Latest Blackpool Value		
	Trend	Value	National Position
<b>Healthy Lifestyles</b>			
Smoking status at time of delivery	←	30.8%	
Chlamydia diagnoses (15-24 year olds) - CTAD	→	5096	
Percentage of physically active and inactive adults - active adults	■	48.2%	
Hospital admissions due to alcohol specific conditions (Under 18)	→	104.4	
Percentage of physically active and inactive adults - inactive adults	■	34.9%	
Children's tooth decay (at age 12)	■	1.1	
Successful completion of drug treatment - opiate users	←	7.5%	
Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	→	22.3%	
People presenting with HIV at a late stage of infection	■	29.4%	
<b>Health and Social Care</b>			
Children in care	←	150	
Hospital admissions as a result of self-harm	←	311.9	
Under 75 mortality rate from liver disease considered preventable	■	37.0	
Under 75 mortality rate from respiratory disease	■	62.0	
Under 75 mortality rate from cardiovascular diseases considered preventable	■	70.0	
Potential Years of Life Lost amenable to healthcare - male	→	3490.0	
Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	→	26.6%	
Hospital admissions caused by unintentional and deliberate injuries in children	←	168.3	
Potential Years of Life Lost amenable to healthcare - female	→	2511.7	
Recorded diabetes	←	6.6%	
Permanent admissions to care homes (older people)	→	954	
Delayed transfers of care attributable to social care	→	6.4	
Delayed transfers of care	→	11.8	
Population vaccination coverage - MMR for two doses (5 years old)	→	84.1%	
Permanent admissions to care homes (younger adults)	→	17.5	
Overall satisfaction of carers with social services	■	42.7%	
Take up of NHS Health Check Programme - health check offered	→	19.3%	
Overall satisfaction of people who use services with their care and support	→	67.3%	
Social Care Related Quality of Life	→	19.6%	
The proportion of people who use services who feel safe	→	77.3%	
Dementia - the effectiveness of post-diagnosis care in sustaining independence and improving quality of life	■		
<i>Indicator still in development in NHS OF</i>			
<b>Wider Determinants of Health</b>			
Violent crime (including sexual violence) - violence offences	→	27.1	
Children killed or seriously injured in road traffic accidents	←	43.1	
16-18 year olds not in education employment or training	←	8.1%	
Children in poverty (under 16)	←	31.3%	
Number of verifiable HMOs in administrative area	→	2134	


**Trend Key**

- Performance improving
- ← Performance declining
- No trend data available or not applicable


Performance Detail

Healthy Lifestyles


Smoking status at time of delivery




Hospital admissions due to alcohol specific conditions (Under 18)




**Children's tooth decay (at age 12)**




**Excess weight in 4-5 year olds**




**Presenting with HIV at a late stage of infection**




**Successful completion of drug treatment - opiate users**



**Percentage of physically active and inactive adults**




**Chlamydia Diagnosis (15 - 24 year olds) - CTAD**






Health and Social Care


Social Care related quality of life





Permanent admissions to care homes (aged 18 - 64)




Permanent admissions to care homes (aged 65+)







**Overall satisfaction of people who use services with their care and support**




**Overall satisfaction of carers with social services**




**The proportion of people who use services who feel safe**




**Potential Years of Life Lost amenable to healthcare**




**Children in Care**




**Hospital admissions as a result of self-harm**




**Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth**




**Hospital admissions caused by unintentional and deliberate injuries in children**




**Recorded Diabetes**




**Take up of NHS Health Check Programme - health check offered**





**Population vaccination coverage - MMR for two doses (5 years old)**









Wider Determinants of Health




**Violent crime (including sexual violence) – violent offences**



**Children killed or seriously injured in road traffic accidents**




**Number of verifiable HMOs in administrative area**



## Appendix A - Interpretation Notes

The performance dashboard summary shows all the indicators separated into the three core themes identified in the health and wellbeing strategy. To ensure the indicators are consistent they are adjusted so that the negative value is always displayed on the left of the spine chart and the positive value on the right. The column headings are explained below.



### Trend

- Performance improving
- ← Performance declining
- No trend data available or not applicable

### Value


Blackpool’s latest figure is shown with RAG highlighting, and this is generally associated with the following definitions:

- Red = Significantly less favourable than England
- Amber = Similar to England
- Green = Statistically more favourable than England

However please note that this information is not available for all indicators and with some indicators a different method is used and where appropriate the RAG rating is still applied. Also it is possible for an indicator to show amber whilst still being in the bottom quartile in the spine chart for example.

## Spine Chart

The spine chart shows how Blackpool compares to England and where available the top and bottom quartiles. The RAG rating is also shown on the Blackpool identifier.



The quartiles show the spread of results and provide a means of comparing Blackpool to England and other areas.

## Additional columns used in complete list of indicators

### Source

The source shows the indicator source as identified using the key below:

P	Public Health Outcomes Framework
A	Adult Social Care Outcomes Framework
N	NHS Outcomes Framework
CCG	CCG Outcomes Framework
CH	Child Health Profile

An indicator may be similar across multiple sources and in these cases more than one source is highlighted.

---

### *Priority*

The health and wellbeing strategy priority is included if there is clear alignment between the indicator and priority.

### *Latest figures*

The latest available figures where appropriate (i.e. sometimes older values are used where there is better comparator information available) are shown for Blackpool, England and then the least favourable and most favourable results are shown.

### *Data Year*

This shows the year of the data presented in the report. This is generally the most recent data available in the outcomes frameworks however the period varies between indicators, for example some indicators are displayed as an aggregate of 3 years.

## Appendix B – Complete list of indicators

### Healthy Lifestyles

Healthy Lifestyles										
ID	Indicator	Source	Priority	Blackpool	England	Less favourable	Range	More favourable	Data Year	
CHP24	Hospital admissions due to substance misuse (age 15-24 years)		CH Alcohol	186.3	69.4	186.3		25.7	2009-2012	
P2.04	Under 18 conceptions	P	CH Sexual Health	58.1	30.7	9.4		58.1	2011	
P2.03	Smoking status at time of delivery	P	CH Tobacco Control	29.7%	13.2%	2.9%		29.7%	2011/12	
CHP22	Teenage mothers (age under 18 years)		CH Sexual Health	2.7%	1.3%	2.8%		0.3%	2011/12	
P3.02ii	Chlamydia diagnoses (15-24 year olds) - CTAD	P	CH Sexual Health	5096	1979	703		6132	2011	
P4.02	Tooth decay in children aged 5	P		1.8	0.9	0.4		2.1	2011/12	
P2.14	Smoking prevalence - adults (over 18s)	P	Tobacco Control	25.9%	20.0%	13.2%		29.3%	2011/12	
P2.13i	Percentage of physically active and inactive adults - active adults	P	Physical Activity	48.2%	56.0%	43.8%		68.5%	2012	
CHP23	Hospital admissions due to alcohol specific conditions		CH Alcohol	104.4	55.8	138.3		16.9	2008-2011	
P2.13ii	Percentage of physically active and inactive adults - inactive adults	P	Physical Activity	34.9%	28.5%	18.2%		40.2%	2012	
CHP20	Children's tooth decay (at age 12)	P	CH	1.1	0.7	1.5		0.2	2008/09	
P1.16	Utilisation of outdoor space for exercise/health reasons	P	Physical Activity	9.1%	15.3%	0.5%		41.2%	Mar 2012 - Feb 2013	
P2.15i	Successful completion of drug treatment - opiate users	P	Substance Misuse	7.5%	8.2%	3.8%		17.6%	2012	
CHP19	Participation in at least 3 hours of sport/PE		CH Physical Activity	54.6%	55.1%	40.9%		79.5%	2009/10	
P2.01	Low birth weight of term babies	P	CH Obesity and Healthy Weight	2.8%	2.9%	1.6%		5.3%	2011	
P2.06i	Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	P	CH Obesity and Healthy Weight	22.3%	22.6%	16.1%		30.0%	2011/12	
P2.06ii	Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	P	CH Obesity and Healthy Weight	31.6%	33.9%	26.6%		42.8%	2011/12	
P3.04	People presenting with HIV at a late stage of infection	P	Sexual Health	29.4%	50.0%	0.0%		75.0%	2009 - 11	
P2.15ii	Successful completion of drug treatment - non-opiate users	P	Substance Misuse	58.7%	40.2%	17.4%		68.4%	2012	

Health and Social Care

Health and Social Care										
ID	Indicator	Source	Priority	Blackpool	England	Less favourable	Range	More favourable	Data Year	
CHP14	Children in care		CH Early Years and Family Support	150	59	150		19	2012	
P2.07ii	Hospital admissions caused by unintentional and deliberate injuries	P	Safeguarding and Domestic Abuse	278.7	144.7	71.6		278.7	2011/12	
CHP32	Hospital admissions as a result of self-harm		CH Mental Health	311.9	115.5	311.9		26.0	2011/12	
P4.06i	Under 75 mortality rate from liver disease	P	N CCG Disease Prevention and Early Detection	39.3	14.4	8.7		39.3	2009 - 11	
P4.06ii	Under 75 mortality rate from liver disease considered preventable	P	N CCG Disease Prevention and Early Detection	37.0	12.7	7.5		37.0	2009 - 11	
P4.07i	Under 75 mortality rate from respiratory disease	P	N CCG Disease Prevention and Early Detection	62.0	23.4	13.7		62.0	2009 - 11	
P4.08	Mortality from communicable diseases (provisional)	P	Disease Prevention and Early Detection	54.9	29.9	22.0		54.9	2009 - 11	
P0.1iiMale	Life Expectancy at Birth (Male)	P	Disease Prevention and Early Detection	73.8	78.9	73.8		81.9	2009 - 11	
P0.2ivMale	Gap in life expectancy at birth between each local authority and England	P	Disease Prevention and Early Detection	-5.1	0.0	-5.1		3.0	2009 - 11	
P0.1iMale	Healthy Life Expectancy at Birth (Male)	P	Disease Prevention and Early Detection	55.1	63.2	55.0		70.3	2009 - 11	
P4.07ii	Under 75 mortality rate from respiratory disease considered preventable	P	N Disease Prevention and Early Detection	27.7	11.6	5.3		28.6	2009 - 11	
CHP7	Children achieving a good level of development at age 5		CH Early Years and Family Support	52.1%	63.5%	51.5%		76.5%	2012	
P4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable	P	N CCG Disease Prevention and Early Detection	70.0	40.6	23.0		75.1	2009 - 11	
P4.03	Mortality rate from causes considered preventable	P	N Disease Prevention and Early Detection	244.6	146.1	100.7		264.2	2009 - 11	
P0.1iiFem	Life Expectancy at Birth (Female)	P	Disease Prevention and Early Detection	80.0	82.9	79.3		86.1	2009 - 11	
P0.2ivFem	Gap in life expectancy at birth between each local authority and England	P	Disease Prevention and Early Detection	-2.9	0.0	-3.6		3.2	2009 - 11	
P2.23iii	Self-reported well-being - people with a low happiness score	P	Mental Health	36.6%	29.0%	19.2%		36.6%	2011/12	
C3.3a	Hip replacement casemix adjusted health gain		N CCG	0.3	0.4	0.3		0.5		
CHP2	Child mortality rate (age 1-17 years)	P	CH Disease Prevention and Early Detection	21.2	13.7	23.7		7.5	2009-2011	
P4.04i	Under 75 mortality rate from all cardiovascular diseases	P	N CCG Disease Prevention and Early Detection	98.4	60.9	39.5		113.3	2009 - 11	
P0.1iFem	Healthy Life Expectancy at Birth (Female)	P	Disease Prevention and Early Detection	57.1	64.2	54.1		72.1	2009 - 11	
N2	Health-related quality of life for people with long-term conditions	A	N Long Term Conditions and Disability	0.7	0.7	0.6		0.8	2012/13	
C1.1m	Potential Years of Life Lost amenable to healthcare - male		N CCG Disease Prevention and Early Detection	3490.0	2267.0	1557.0		4018.0	2012	
CHP29	Hospital admissions due to injury (age under 18 years)		CH	182.6	122.6	211.1		72.4	2011/12	
P4.05i	Under 75 mortality rate from cancer	P	N Disease Prevention and Early Detection	135.3	108.1	84.0		153.2	2009 - 11	
P2.23ii	Self-reported well-being - people with a low worthwhile score	P	Mental Health	24.4%	20.1%	12.8%		25.4%	2011/12	
P2.02ii	Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	P	CH Early Years and Family Support	26.6%	47.2%	17.5%		83.3%	2012/13	
P4.10	Suicide rate (provisional)	P	Mental Health	11.3	7.9	4.3		13.9	2009 - 11	
P2.02i	Breastfeeding - Breastfeeding initiation	P	CH Early Years and Family Support	56.2%	74.0%	41.8%		94.3%	2011/12	
P4.05ii	Under 75 mortality rate from cancer considered preventable	P	N Disease Prevention and Early Detection	81.7	61.9	45.2		98.1	2009 - 11	
P4.11m	Emergency readmissions within 30 days of discharge from hospital	P		14.0%	12.1%	8.6%		14.8%	2010/11	
P2.07i	Hospital admissions caused by unintentional and deliberate injuries	P	Safeguarding and Domestic Abuse	168.3	118.2	68.7		211.4	2011/12	

Health and Social Care

ID	Indicator	Source	Priority	Blackpool	England	Less favourable	Range	More favourable	Data Year
C1.8	Emergency admissions for alcohol related liver disease	CCG	Disease Prevention and Early D	56.0	22.3	5.7		85.9	2011
CHP1	Infant mortality rate	P, N, CH	Disease Prevention and Early D	6.3	4.4	8.0		2.2	2009-2011
C1.1f	Potential Years of Life Lost amenable to healthcare - female	N, CCG	Disease Prevention and Early D	2511.7	1911.0	1090.0		3099.0	2012
P2.23i	Self-reported well-being - people with a low satisfaction score	P	Mental Health	29.1%	24.3%	14.6%		30.5%	2011/12
P2.21vii	Access to non-cancer screening programmes - diabetic retinopathy	P	Disease Prevention and Early D	74.0%	80.9%	66.7%		95.0%	2011/12
C2.2	% of patients with LTCs who feel supported	N, CCG	Long Term Conditions and Diab	67.1%	73.1%	59.7%		80.5%	2010
P2.20i	Cancer screening coverage - breast cancer	P	Disease Prevention and Early D	68.5%	76.3%	58.2%		84.5%	2013
P4.12iii	Preventable sight loss - diabetic eye disease	P	Disease Prevention and Early D	8.9	3.8	0.9		15.8	2011/12
P4.11	Emergency readmissions within 30 days of discharge from hospital	P		13.3%	11.8%	8.1%		13.8%	2010/11
P4.01	Infant mortality	P	Disease Prevention and Early D	5.7	4.3	2.3		8.0	2009 - 11
P2.17	Recorded diabetes	P	Disease Prevention and Early D	6.6%	5.8%	3.6%		8.0%	2011/12
P4.12iv	Preventable sight loss - sight loss certifications	P	Disease Prevention and Early D	59.1	44.5	5.1		82.5	2011/12
A2A(2)	Permanent admissions to care homes (older people)	A	Carers and Young Carers	954	709	28		1398	2012/13
CHP30	Hospital admissions for asthma (age under 19 years)	CH	Disease Prevention and Early D	290.8	193.9	484.4		73.4	2011/12
A2C(2)	Delayed transfers of care attributable to social care	A		6.4	3.3	0.3		12.8	2012/13
C3.2	Emergency readmissions within 30 days of discharge from hospital	N, CCG		13.1	11.9	8.1		13.9	2010
C3.3c	Groin hernia casemix adjusted health gain	N, CCG		0.1	0.1	0.0		0.2	
P4.11f	Emergency readmissions within 30 days of discharge from hospital	P		12.7%	11.4%	7.2%		13.2%	2010/11
P4.15ii	Excess Winter Deaths Index (Single year, ages 85+)	P	Frail Elderly	28.2	21.2	-0.7		47.1	Aug 2010 - Jul 2011
P2.20ii	Cancer screening coverage - cervical cancer	P	Disease Prevention and Early D	69.8%	73.9%	58.6%		79.9%	2013
A4B	Respondents who answered 'Yes' as a percentage of all respondent	A	Safeguarding and Domestic Ab	70.6%	75.5%	54.4%		92.4%	2011/12
CHP31	Hospital admissions for mental health conditions	CH		173.3	91.3	479.7		22.6	2011/12
N1Bi M	Life expectancy at 75 Male	N	Disease Prevention and Early D	10.0	11.3	9.7		17.5	2008-2010
N1Bii F	Life expectancy at 75 Female	N	Disease Prevention and Early D	11.9	13.1	11.3		19.3	2008-2010
P2.22ii	Take up of NHS Health Check programme - health check take up	P	Disease Prevention and Early D	39.5%	49.1%	7.7%		100.0%	2012/13
A2B(2)	People (aged 65+) offered reablement services following discharge	A, N	Frail Elderly	1.4%	3.2%	0.3%		12.9%	2011/12
P4.12i	Preventable sight loss - age related macular degeneration (AMD)	P	Disease Prevention and Early D	131.6	110.5	12.8		225.2	2011/12
A1C(2)	Users and carers receiving direct payments in the year to 31 March	A	Carers and Young Carers	8.4%	13.7%	3.9%		43.0%	2011/12
C2.7	Unplanned hospitalisation for asthma, diabetes and epilepsy in un	N, CCG	Long Term Conditions and Diab	386.7	309.0	73.4		746.6	2011
P4.15i	Excess Winter Deaths Index (Single year, all ages)	P	Frail Elderly	20.0	17.0	2.0		34.0	Aug 2010 - Jul 2011
C2.6	Unplanned admissions chronic ACS conditions	N, CCG		1117.6	916.0	218.9		2167.7	2011
A1G	Working-age learning disabled clients who are living in their own h	P, A	Long Term Conditions and Diab	63.8%	70.0%	30.9%		93.8%	2011/12
P1.06i	Adults with a learning disability who live in stable and appropriate	P, A	Long Term Conditions and Disa	63.8%	70.0%	30.9%		93.8%	2011/12
C3.3b	Knee replacement casemix adjusted health gain	N, CCG		0.3	0.3	0.2		0.4	
P1.18i	Social Isolation: % of adult social care users who have as much soci	P	Carers and Young Carers	40.5%	42.3%	32.2%		54.2%	2011/12
A1E	Working age learning disabled clients known to CASSRs in paid emp	A	Long Term Conditions and Diab	4.4%	7.1%	0.9%		25.8%	2011/12
P4.14ii	Hip fractures in people aged 65 and over - aged 65-79	P	Frail Elderly	239.5	222.2	135.7		346.7	2011/12
A2C(1)	Delayed transfers of care	A		11.8	9.5	1.1		27.1	2012/13



## Health and Social Care

ID	Indicator	Source	Priority	Blackpool	England	Less favourable	Range	More favourable	Data Year	
A3D	Number of respondents who answered 'Very easy to find and 'Fairl	A		72.3%	73.8%	62.2%		85.6%	2011/12	
P2.23iv	Self-reported well-being - people with a high anxiety score	P	Mental Health	41.1%	40.1%	34.4%		48.3%	2011/12	
P3.03x	Population vaccination coverage - MMR for two doses (5 years old)	P	Disease Prevention and Early D	84.1%	86.0%	69.7%		95.3%	2011/12	
P2.24ii	Injuries due to falls in people aged 65 and over - aged 65-79	P	Frail Elderly	1018	941	545		1726	2011/12	
A1C(1)	Number of clients and carers receiving self-directed support in the	A	Carers and Young Carers	38.9%	43.0%	3.9%		90.6%	2011/12	
P2.24if	Injuries due to falls in people aged 65 and over (males/females) (Fr	P	Frail Elderly	2155	2028	1298		3713	2011/12	
A2A(1)	Permanent admissions to care homes (younger adults)	A	Carers and Young Carers	17.5	14.9	4.0		51.4	2012/13	
P4.12ii	Preventable sight loss - glaucoma	P	Disease Prevention and Early D	13.1	12.8	3.0		34.5	2011/12	
P2.24i	Injuries due to falls in people aged 65 and over (Persons)	P	Frail Elderly	1677	1665	1070		2985	2011/12	
P3.03vi5yr	Population vaccination coverage - Hib / Men C booster (5 years)	P	Disease Prevention and Early D	88.0%	88.6%	0.0%		97.6%	2011/12	
C5.3	Incidence of healthcare-associated infection - C.Difficile	N	ccg	Disease Prevention and Early D	27.3	27.2	8.0		58.5	(Oct11Sep12)
P2.08	Emotional well-being of looked after children	P	Early Years and Family Support	13.8	13.8	9.5		20.1	2011/12	
P3.05ii	Treatment completion for TB - TB incidence	P	Disease Prevention and Early D	14.8	15.1	0.0		112.3	2010 - 12	
C3.4	Emergency admissions for children with lower respiratory tract infe	N	ccg	361	363	78		722	2011	
P3.03xiii	Population vaccination coverage - PPV	P	Disease Prevention and Early D	68.5%	68.3%	52.8%		76.6%	2011/12	
A1B	Proportion of respondents who felt they had control over their dail	A	Carers and Young Carers	75.5%	75.1%	62.5%		82.7%	2011/12	
P3.03vi2yr	Population vaccination coverage - Hib / Men C booster (2 years old)	P	Disease Prevention and Early D	93.3%	92.3%	75.7%		97.3%	2011/12	
P3.03xiv	Population vaccination coverage - Flu (aged 65+)	P	Disease Prevention and Early D	74.6%	74.0%	64.8%		81.5%	2011/12	
P3.03xii	Population vaccination coverage - HPV	P	Disease Prevention and Early D	88.4%	86.8%	62.3%		97.2%	2011/12	
P2.24iii	Injuries due to falls in people aged 65 and over - aged 80+	P	Frail Elderly	4644	4924	2892		8965	2011/12	
P3.03vii	Population vaccination coverage - PCV booster	P	Disease Prevention and Early D	92.7%	91.5%	74.7%		97.0%	2011/12	
P3.03viii	Population vaccination coverage - MMR for one dose (2 years old)	P	CH	Disease Prevention and Early D	92.2%	91.2%	78.7%		97.2%	2011/12
P2.24im	Injuries due to falls in people aged 65 and over (males/females) (IV	P	Frail Elderly	1199	1302	704		2535	2011/12	
P3.03ix	Population vaccination coverage - MMR for one dose (5 years old)	P	Disease Prevention and Early D	94.1%	92.9%	79.8%		98.0%	2011/12	
P3.03xv	Population vaccination coverage - Flu (at risk individuals)	P	Disease Prevention and Early D	53.0%	51.6%	43.4%		66.3%	2011/12	
C3.1	Emergency admissions for acute conditions that should not usually	N	ccg	894.3	1007.0	243.9		2152.3	2011	
P2.22i	Take up of NHS Health Check Programme - health check offered	P	Disease Prevention and Early D	19.3%	16.5%	0.7%		42.5%	2012/13	
A3A	Overall satisfaction of people who use services with their care and	A	Carers and Young Carers	67.3%	63.7%	31.9%		89.8%	2012/13	
C5.4	Incidence of healthcare-associated infection - MRSA	N	ccg	Disease Prevention and Early D	1.2	1.7	0.0		5.8	(Oct11Sep12)
P3.03iii1yr	Population vaccination coverage - Dtap / IPV / Hib (1 year old)	P	Disease Prevention and Early D	95.9%	94.7%	84.9%		98.8%	2011/12	

## Health and Social Care

ID	Indicator	Source	Priority	Blackpool	England	Less favourable	Range	More favourable	Data Year
P1.06ii	Adults in contact with secondary mental health services who live in	P	Mental Health	75.1%	66.8%	1.3%		92.8%	2010/11
P3.03iv	Population vaccination coverage - MenC	P	Disease Prevention and Early D	95.6%	93.9%	81.4%		98.6%	2011/12
P3.03v	Population vaccination coverage - PCV	P	Disease Prevention and Early D	95.7%	94.2%	83.8%		98.6%	2011/12
CHP28	A&E attendances (age 0-4 years)		CH	376	484	1187		136	2010/11
P3.03iii2y	Population vaccination coverage - Dtap / IPV / Hib (2 years old)	P	Disease Prevention and Early D	97.7%	96.1%	85.7%		98.8%	2011/12
CHP5	Children in care immunisations		CH	96.8%	83.1%	0.0%		100.0%	2012
A1F	Working age adults who are receiving secondary mental health ser	P A N	Mental Health	13.4%	8.9%	0.9%		30.7%	2011/12
C4.1	Patient experience of GP out-of-hours services	N ccc		76.8	70.8	46.5		83.9	2011
P4.14i	Hip fractures in people aged 65 and over	P	Frail Elderly	421.2	457.2	337.9		599.5	2011/12
A2B(1)	Older people at home 91 days after hospital discharge (into reabler	A N	Frail Elderly	89.4%	82.7%	56.9%		100.0%	2011/12
A1H	Adults who are receiving secondary mental health services on the c	P A	Long Term Conditions and Diab	69.1%	54.6%	3.0%		91.7%	2011/12
A1A	Social Care Related Quality of Life	A N	Carers and Young Carers	19.6%	18.8%	17.4%		21.5%	2012/13
A4A	The proportion of people who use services who feel safe	P A	Safeguarding and Domestic Abi	77.3%	65.0%	49.6%		92.5%	2012/13
P4.14iii	Hip fractures in people aged 65 and over - aged 80+	P	Frail Elderly	1239.0	1515.0	993.0		2021.0	2011/12
N2.6i	Estimated diagnosis rate for people with dementia	P N	Dementia		46.0				2011/12
N2.6ii	Dementia - the effectiveness of post-diagnosis care in sustaining in	A N	Dementia						Indicator to be developed
N5.5	Admission of full-term babies to neonatal care	N	Early Years and Family Support	3	5				2010
N2.1	Proportion of people feeling supported to manage their condition	N	Long Term Conditions and Disa	69.2	69.3				2012/13
N2.4	Health-related quality of life for carers	A N	Carers and Young Carers	0.8	0.8				2012/13

## Wider Determinants of Health

Wider Determinants of Health										
ID	Indicator	Source	Priority	Blackpool	England	Less favourable	Range	More favourable	Data Year	
P1.12ii	Violent crime (including sexual violence) - violence offences	P	Crime and Anti-Social Behaviour	27.1	10.6	4.1		27.1	2012/13	
P1.17	Fuel Poverty	P	Transport	18.0%	10.9%	3.8%		18.0%	2011	
CHP15	Children killed or seriously injured in road traffic accidents	CH	Transport	43.1	22.1	47.9		4.4	2009-2011	
P1.12i	Violent crime (including sexual violence) - hospital admission	P	Crime and Anti-Social Behaviour	166.6	67.7	9.9		213.5	2009/10 - 11/12	
CHP8	GCSE achieved (5A*-C inc. Eng and maths)	CH	Education and Aspirations	47.9%	59.4%	40.9%		79.6%	2011/12	
P1.03	Pupil absence	P	Education and Aspirations	5.9%	5.1%	4.3%		6.7%	2011/12	
P1.9ii	Sickness absence - The percentage of working days lost due to	P	Economy, Employment and Wc	2.1%	1.5%	0.3%		2.7%	2009 - 11	
P1.05	16-18 year olds not in education employment or training	P	Economy, Employment and Wc	8.1%	5.8%	2.0%		10.5%	2012	
P1.01ii	Children in poverty (under 16)	P	Education and Aspirations	31.3%	20.6%	6.9%		43.6%	2011	
P1.13i	Re-offending levels - percentage of offenders who re-offend	P	Crime and Anti-Social Behaviour	31.0%	26.8%	17.3%		36.3%	2010	
P1.13ii	Re-offending levels - average number of re-offences per offence	P	Crime and Anti-Social Behaviour	1.0	0.8	0.4		1.3	2010	
HMO1	Number of verifiable HMOs in administrative area		Housing and Transience	2134	260	0		4938	2011	
P1.04i	First time entrants to the youth justice system	P	Crime and Anti-Social Behaviour	859	537	151		1427	2012	
P1.9i	Sickness absence - The percentage of employees who had at least	P	Economy, Employment and Wc	2.4%	2.2%	0.6%		3.5%	2009 - 11	
P1.8i	Gap in the employment rate between those with a long-term	P	Economy, Employment and Wc	8.8	7.1	-5.3		21.7	2012	
P1.10	Killed and seriously injured casualties on England's roads	P	Transport	44.8	40.5	16.9		81.8	2010 - 12	
P1.14i	The percentage of the population affected by noise - Number	P	Environment	9.1	7.5	2.5		58.4	2011/12	
P1.8ii	Gap in the employment rate between those with a learning difficulty	P	Economy, Employment and Wc	62.9	63.2	40.2		73.1	2011/12	
P1.14ii	The percentage of the population exposed to road, rail and air	P	Environment	4.1	5.4	0.3		29.8	2006/07	
P1.15ii	Statutory homelessness - households in temporary accommodation	P	Housing and Transience	0.3	2.3	0.0		32.4	2011/12	
P1.14iii	The percentage of the population exposed to road, rail and air	P	Environment	6.8	12.8	0.8		57.5	2006/07	
P1.15i	Statutory homelessness - homelessness acceptances	P	Housing and Transience	0.5	2.3	0.2		9.7	2011/12	
CHP13	Family homelessness	CH	Housing and Transience	0.2	1.7	7.4		0.1	2011/12	
P3.01	Fraction of mortality attributable to particulate air pollution	P	Environment	4.3%	5.6%	3.6%		8.3%	2010	
CHP9	GCSE achieved (5A*-C inc. Eng and maths) for children in care	CH	Education and Aspirations		14.6%	0.0%		40.0%	2011/12	