

















Joint Health and Wellbeing
Strategy
Performance Framework
2013-15























Document Control

| Document owner: | Traci Lloyd-Moore |
|--------------------|-------------------|
| Document number: | |
| Document category: | |
| Document location: | |
| Issued by: | |
| Last edited: | |

Record of Amendments:

| Date | Version | Amended by | Description of changes |
|------|---------|------------|-------------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Approved By:

| Name | Title | Signature | Date |
|------|-------|-----------|------|
| | | | |
| | | | |
| | | | |

Contents

| Introduction | 05 |
|---|----|
| Performance Summary Dashboard | 09 |
| Performance Detail | 10 |
| Healthy Lifestyles | 10 |
| Smoking status at time of delivery | 10 |
| Hospital admissions due to alcohol specific conditions (Under 18) | 10 |
| Children's tooth decay (at age 12) | 11 |
| Excess weight in 4-5 year olds | 11 |
| Presenting with HIV at a late stage of infection | 12 |
| Successful completion of drug treatment – opiate users | 12 |
| Percentage of physically active and inactive adults | 13 |
| Chlamydia Diagnosis (15 – 24 year olds) - CTAD | 13 |
| Hospital admissions due to substance misuse (age 15-24 years) | 14 |
| Successful completion of drug treatment – Alcohol* | 14 |
| Under 18 Conceptions | 15 |
| Teenage mothers (age under 18 years) | 15 |
| Health and Social Care | 16 |
| Social Care related quality of life | 16 |
| Permanent admissions to care homes (aged 18 - 64) | 16 |
| Permanent admissions to care homes (aged 65+) | 17 |
| Delayed transfers of care | 17 |
| Delayed transfers of care attributable to social care | 18 |
| Overall satisfaction of people who use services with their care and support | 18 |
| Overall satisfaction of carers with social services | 19 |

Contents

| The proportion of people who use services who feel safe | 19 |
|---|----|
| Potential Years of Life Lost amenable to healthcare | 20 |
| Children in Care | 20 |
| Hospital admissions as a result of self-harm | 21 |
| Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth | 21 |
| Hospital admissions caused by unintentional and deliberate injuries in children | 22 |
| Recorded Diabetes | 22 |
| Take up of NHS Health Check Programme - health check offered | 23 |
| Population vaccination coverage - MMR for two doses (5 years old) | 23 |
| Under 75 mortality rate | 24 |
| Children achieving a good level of development at age 5 | 24 |
| Emotional well-being of looked after children | 25 |
| Children in Care Immunisations | 25 |
| Wider Determinants of Health | 26 |
| Children in Poverty | 26 |
| 16-18 year olds not in education employment or training | 26 |
| Violent crime (including sexual violence) – violent offences | 27 |
| Children killed or seriously injured in road traffic accidents | 27 |
| Number of verifiable HMOs in administrative area | 28 |
| GCSE achieved (5A*-C inc. Eng and maths) inc Children in Care | 28 |
| Pupil Absence | 29 |
| Appendix A - Interpretation Notes | 30 |
| Appendix B – Complete list of indicators | 33 |


Introduction

This document sets out a framework for monitoring the performance of Blackpool's Joint Health and Wellbeing Strategy. The framework draws together a selection of high level indicators and reporting mechanisms to report on progress against the three themes identified in the Strategy and is comprised of six interdependent components illustrated below:

Key Features

- Dashboard providing a high level snapshot of key progress indicators
- Quarterly action plan updates from Action Plan leads responsible for collecting evidence of progress against an assigned priority area within each theme
- Quarterly reports from the Strategic Commissioning Group which provide a summary of progress against priority areas taken from Quarterly action plan updates
- Exception report highlighting unexpected trends both positive and negative
- Thematic debates and stakeholder events debate and discussion at Board meetings and discussion with the public, special interest groups and other organisations on the underlying principles of user experience, integration, financial stability
- Annual Performance Assessment bringing together quarterly reports and dashboard information

In order to assess the impact of the JHWS and achievement of our outcomes and priorities. The framework provides a balance quantitative and qualitative data. This is important as many of the overarching indicators can only be up-dated annually.



Using the Framework

To establish a suitable indicator set the following sources were used where appropriate and where appropriate data were available:

- Public Health Outcomes Framework
- NHS Outcomes Framework
- Adult Social Care Outcomes Framework
- CCG Outcomes Framework
- CHIMAT Child Health Profiles

These indicators were then categorised into the three core themes identified in the health and wellbeing strategy:

- Healthy Lifestyles
- Health and Social Care
- · Wider Determinants of Health

The complete list of all indicators is included in Appendix B for information.

In order to provide a more usable and relevant mechanism for monitoring the health and wellbeing strategy in Blackpool the Strategic Commissioning Group (advisory group to the Health and Wellbeing Board) identified a subset of key indicators from this list. These are presented as a performance summary dashboard, followed by more detailed analysis showing trends and comparisons to National and Regional areas where available. The remaining indicators in the outcomes frameworks will be monitored and assessed for inclusion in the framework at a later date as appropriate.

Reporting arrangements and intervals

Information on key indicators will be provided to the Board on a quarterly and annual basis dependent on availability of data. Key indicators will be those that have wider implications for delivery of the Strategy and which focus areas of persistent concern.

For added rigour, more detailed information will be presented to the Strategic Commissioning Group on a wider range of indicators as detailed in Appendix B.

In addition, action plan leads will produce quarterly updates presented in full to the Strategic Commissioning Group. The Strategic Commissioning Group will use the information from the updates to compile a quarterly progress report which will be used to support the dashboard – the combination of high level data with local narrative will provide the Board with an overall picture of performance for the period. Exception reports will only be completed should the need arise.

Accountability

Performance reports will be made accessible to members of the public via the Board's website, Local Healthwatch and through voluntary and community sector. This will provide a mechanism for local people to hold the Board to account for the health outcomes we intend to achieve and enable an ongoing and open dialogue with the community.

In routinely examining progress against the Strategy and as part of the formal reporting process performance reports will be presented to Health Scrutiny, this will ensure appropriate challenge is made where there are particular areas of concern.

Corporate priority reporting – Healthier Communities

As the overarching health strategy for Blackpool, the Joint Health and Wellbeing Strategy makes an important contribution to councils' overarching priorities. Key indicators set out in this performance framework will be used to report against the council's health and wellbeing priority articulated through the Corporate Plan.

Roles and Responsibilities

| Health and Wellbeing Board | Sets the strategic direction for the JHWSOverall responsibility for the performance framework |
|-------------------------------------|--|
| Strategic Commissioning Group (SCG) | Makes an assessment of performance taking any concerns or key findings to the Board Makes recommendations to the Board based on findings |
| Action plan leads | Provide updates on progress of action plans Identifies any issues or concerns implements actions to mitigate risks in agreement with SCG |
| Business Intelligence Team | Updates and distributes the performance report at the intervals defined above Provides further analysis as required on specific subject areas as they arise Keeps abreast of new indicators, changing priorities and updates as appropriate Reports on and highlight the key areas of the report quarterly and annually at SCG |
| Corporate Leadership Team | Monitor and challenge corporate performance on a quarterly basis Identifies and agrees corporate targets with the Health and Wellbeing Board as detailed in the JHWS |
| Corporate Performance Team | Provide support to directorates and the Health and Wellbeing Board on all aspects of performance management. Share knowledge on key performance issues Provide independent analysis to CLT on corporate performance and challenge directorate performance. Develop, administer and manage the corporate performance management system |

Key Officers and Contacts

| Corporate Development Manager | Scott ButterfieldEmail: |
|--|---|
| Business Intelligence Officer | Karen NolanEmail: karen.nolan@blackpool.gov.uk |
| Health and Wellbeing Project Officer | Traci Lloyd-MooreEmail: |
| Engagement and Intelligence Officer | Ruth HenshawEmail: |


Performance Summary Dashboard


| Domain | Indicator | Trend | Blackpool Value | England Avg | Eng Worst | England Range | Eng Best | Data Year | Frequency |
|------------------------------|--|--------------|--------------------|----------------|--------------|---------------|-------------|-----------------|-----------|
| | Smoking status at time of delivery | → | 27.4% | 11.8% | 1.7% | 0 | | 2013/14 Q2 | Qtr |
| | Hospital admissions due to substance misuse (age 15-24 years) | ← | 186.3 | 69.4 | 186.3 | | | 2009-2012 | Ann |
| | Teenage mothers (age under 18 years) | → | 2.9% | 1.2% | 3.1% | | 0.2% | 2012/13 | Ann |
| | Chlamydia diagnoses (15-24 year olds) - CTAD | | 5096 | 1979 | 6132 | | 703 | 2012 | Ann |
| S | Teenage conception rate (age under 18 years) | → | 42.9 | 26.7 | 52.0 | | 8.8 | 2012 | Ann |
| t | Percentage of physically active and inactive adults - active adults | - | 48.2% | 56.0% | 43.8% | • | 68.5% | 2012 | |
| Healthy Lifestyles | Hospital admissions due to alcohol specific conditions (Under 18) | → | 104.4 | 55.8 | 138.3 | • | 16.9 | 2008-2011 | Ann |
| hyl | Percentage of physically active and inactive adults - inactive adults | - | 34.9% | 28.5% | 18.2% | • | 40.2% | 2012 | |
| ealt | Children's tooth decay (at age 12) | | 1.1 | 0.7 | 1.5 | | 0.2 | 2008/09 | Ann |
| Ĭ | Successful completion of drug treatment - opiate users | ← | 7.5% | 8.2% | 3.8% | | 17.6% | 2012 | Ann |
| | Excess weight in 4-5 and 10-11 year olds - 4-5 year olds | ← | 26.0% | 22.5% | 32.2% | O | 16.1% | 2012/13 | Ann |
| | People presenting with HIV at a late stage of infection | ← | 36.4% | 48.3% | 0.0% | • | 80.0% | 2010/12 | Ann |
| | Successful completion of drug treatment - non-opiate users | → | 58.7% | 40.2% | 17.4% | 0 | 68.4% | 2012 | Ann |
| | Successful completion of drug treatment - Alcohol* | → | 50.4 | 0.0 | 0.0 | | 0.0 | 2013/14 Q3 | Qtr |
| | Children in care | ← | 166 | 60 | 166 | • | 20 | 2013 | Ann |
| | Hospital admissions as a result of self-harm | ← | 311.9 | 115.5 | 311.9 | • | 26.0 | 2011/12 | Ann |
| | Under 75 mortality rate from liver disease considered preventable | ← | 38.2 | 15.7 | 9.0 | • | 38.2 | 2010-12 | Ann |
| | Under 75 mortality rate from respiratory disease | (| 81.6 | 33.5 | 20.5 | • | 81.6 | 2010-12 | Ann |
| | Children achieving a good level of development at age 5 | → | 52.1% | 63.5% | 51.5% | • | 76.5% | 2012 | Ann |
| | Under 75 mortality rate from cardiovascular diseases considered preventable | ← | 91.5 | 53.5 | 29.3 | | 95.2 | 2010-12 | Ann |
| | Potential Years of Life Lost amenable to healthcare - male | → | 3490.0 | 2267.0 | | | 4018.0 | 2012 | Ann |
| 4 | Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth | → | 26.6% | 47.2% | | | 83.3% | | Ann |
| Social Care | Hospital admissions caused by unintentional and deliberate injuries in children | → | 147.2 | 103.8 | 61.7 | • | 191.3 | 2012/13 | Ann |
| <u> </u> | Potential Years of Life Lost amenable to healthcare - female | → | 2511.7 | 1911.0 | | • | 3099.0 | 2012 | Ann |
| OCi | Recorded diabetes | ← | 6.9% | 5.8% | 3.6% | | 8.0% | 2012/13 | Ann |
| Š | Permanent admissions to care homes (older people) | → | 954 | 709 | 28 | • | 1398 | 2012/13 | Qtr |
| anc | Delayed transfers of care attributable to social care | → | 6.4 | 3.3 | 0.3 | | 12.8 | 2012/13 | Qtr |
| Health and | Delayed transfers of care | → | 11.8 | 9.5 | 1.1 | | 27.1 | 2012/13 | Qtr |
| lea | Population vaccination coverage - MMR for two doses (5 years old) | → → | 84.9% | | 68.9% | | | 2012/13 | Ann |
| | Permanent admissions to care homes (younger adults) | 7 | 17.5 | 14.9 | 4.0 | | 51.4 | 2012/13 | Qtr |
| | Overall satisfaction of carers with social services | <u>-</u> | 42.7% 13.8 | 13.8 | 25.8% 9.5 | Ŏ | 20.1 | 2012/13 | Ann |
| | Emotional well-being of looked after children Take up of NHS Health Check Programme - health check offered | → | 19.3% | 16.5% | | | | 2011/12 2012/13 | Ann |
| | Overall satisfaction of people who use services with their care and su | → | 67.3% | 63.7% | | 0 | 89.8% | | Ann |
| | Children in care immunisations | → | 96.8% | 83.1% | | 0 | 100.0% | 2012/13 | Ann |
| | Social Care Related Quality of Life | → | 19.6% | | 17.4% | | 21.5% | 2013 | Ann |
| | The proportion of people who use services who feel safe | → | 77.3% | | 49.6% | 0 | 92.5% | 2012/13 | Ann |
| | Dementia - the effectiveness of post-diagnosis care in sustaining independence and improving quality of life | | itor still in de | | | OF. | 2 2.070 | , | |
| 4_ | Violent crime (including sexual violence) - violence offences | → | 27.1 | 10.6 | 4.1 | | 27.1 | 2012/13 | Ann |
| ts of | Children killed or seriously injured in road traffic accidents | → | 36.5 | 20.7 | 32.5 | | 6.3 | 2010-12 | Ann |
| Wider Determinants Health | GCSE achieved (5A*-C inc. Eng and maths) | + | 46.1% | | 43.7% | • | 80.2% | 2012/13 | Ann |
| 흌 | Pupil absence | → | 5.9% | 5.1% | 4.3% | | 6.7% | 2011/12 | Term |
| etermi Health | 16-18 year olds not in education employment or training | (| 8.1% | 5.8% | 2.0% | | 10.5% | 2012 | Ann |
| ت _ | Children in poverty (under 16) | ← | 31.3% | 20.6% | 6.9% | | 43.6% | 2011 | Ann |
| Vide | Number of verifiable HMOs in administrative area | | 2134 | 260 | 0 | | 4938 | 2011 | Ann |
| > | GCSE achieved (5A*-C inc. Eng and maths) for children in care | → | | 15.3% | 0.0% | | 41.7% | 2012/13 | Ann |

Performance Detail


Healthy Lifestyles

Smoking status at time of delivery







Children's tooth decay (at age 12)




Excess weight in 4-5 year olds





Presenting with HIV at a late stage of infection




Successful completion of drug treatment – opiate users








Hospital admissions due to substance misuse (age 15-24 years)




Successful completion of drug treatment - Alcohol*




^{*}Note this includes those that re-present, unlike the public health outcomes framework indicators relating to successful completions of Opiate and Non-Opiate substances.


Under 18 Conceptions




Teenage mothers (age under 18 years)




Health and Social Care







Permanent admissions to care homes (older people)




Delayed transfers of care




Delayed transfers of care attributable to social care




Overall satisfaction of people who use services with their care and support




Overall satisfaction of carers with social services




The proportion of people who use services who feel safe




Potential Years of Life Lost amenable to healthcare







Hospital admissions as a result of self-harm




Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth




Hospital admissions caused by unintentional and deliberate injuries in children




Recorded Diabetes




Take up of NHS Health Check Programme - health check offered




Population vaccination coverage - MMR for two doses (5 years old)




Under 75 mortality rate




Children achieving a good level of development at age 5




Emotional well-being of looked after children




Children in Care Immunisations




Wider Determinants of Health




16-18 year olds not in education employment or training




Violent (including sexual violence) – violent offences




Children killed or seriously injured in road traffic accidents




Number of verifiable HMOs in administrative area



GCSE achieved (5A*-C inc Eng and maths) inc Children in Care



Pupil Absence



Appendix A - Interpretation Notes

The performance dashboard summary shows all the indicators separated into the three core themes identified in the health and wellbeing strategy. To ensure the indicators are consistent they are adjusted so that the negative value is always displayed on the left of the spine chart and the positive value on the right. The column headings are explained below.







Performance improving



Performance declining

No trend data available or not applicable

Value


Blackpool's latest figure is shown with RAG highlighting, and this is generally associated with the following definitions:

- Red = Significantly less favourable than England
- Amber = Similar to England
- Green = Statistically more favourable than England

However please note that this information is not available for all indicators and with some indicators a different method is used and where appropriate the RAG rating is still applied. Also it is possible for an indicator to show amber whilst still being in the bottom quartile in the spine chart for example.

Spine Chart

The spine chart shows how Blackpool compares to England and where available the top and bottom quartiles. The RAG rating is also shown on the Blackpool identifier.



The quartiles show the spread of results and provide a means of comparing Blackpool to England and other areas.

Additional columns used in complete list of indicators

Source

The source shows the indicator source as identified using the key below:

| Р | Public Health Outcomes Framework |
|-----|--------------------------------------|
| Α | Adult Social Care Outcomes Framework |
| N | NHS Outcomes Framework |
| CCG | CCG Outcomes Framework |
| СН | Child Health Profile |

An indicator may be similar across multiple sources and in these cases more than one source is highlighted.

Priority

The health and wellbeing strategy priority is included if there is clear alignment between the indicator and priority.

Latest figures

The latest available figures where appropriate (i.e. sometimes older values are used where there is better comparator information available) are shown for Blackpool, England and then the least favourable and most favourable results are shown.

Data Year

This shows the year of the data presented in the report. This is generally the most recent data available in the outcomes frameworks however the period varies between indicators, for example some indicators are displayed as an aggregate of 3 years.

Appendix B – Complete list of Indicators

Healthy Lifestyles Less More ID Indicator Source Priority Blackpool England Data Year Range favo urable Priority сн Alcohol 69.4 186.3 25.7 2009-2012 CHP24 Hospital admissions due to substance misuse (age 15-24 years 186.3 45.8 52.1 2012 Q3 P2.04 Under 18 conceptions **CH** Sexual Health 28.6 13.9 P2.03 сн Tobacco Control 27.4% 11.8% 1.7% 27.4% 2013/14 Q2 Smoking status at time of delivery 2012/13 сн Sexual Health 1.2% 0.2% ons1 Teenage mothers (age under 18 years) 3.1% 5096 703 P3.02ii Chlamydia diagnoses (15-24 year olds) - CTAD сн Sexual Health 1979 6132 2012 1.8 0.9 0.4 2.1 2011/12 P4.02 Tooth decay in children aged 5 P2.14 25.9% 20.0% 13.2% 29.3% 2012 Smoking prevalence - adults (over 18s) **Tobacco Control** P2.13i 48.2% 56.0% 43.8% 68.5% 2012 Percentage of physically active and inactive adults - active adults -Physical Activity **CH** Alcohol 138.3 16.9 2008-2011 CHP23 Hospital admissions due to alcohol specific conditions (Under 104.4 55.8 2012 P2.13ii Percentage of physically active and inactive adults - inactive a **Physical Activity** 34.9% 28.5% 18.2% 40.2% CHP20 Children's tooth decay (at age 12) 1.1 0.7 1.5 0.2 2008/09 P1.16 **Physical Activity** 9.1% 15.3% 0.5% 41.2% Mar 2012 - Feb 2013 Utilisation of outdoor space for exercise/health reasons 2012 P2.15i 7.5% 8.2% 3.8% 17.6% Successful completion of drug treatment - opiate users Substance Misuse CHP19 54.6% 55.1% 40.9% 79.5% 2009/10 Participation in at least 3 hours of sport/PE **CH** Physical Activity сн Obesity and Healthy Weight 2.9% 2011 P2.01 Low birth weight of term babies 2.8% 1.6% 5.3% Р сн Obesity and Healthy Weight 22.5% 32.2% 16.1% 2012/13 P2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds 26.0% P2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds СН Obesity and Healthy Weight 35.4% 33.3% 24.1% 44.2% 2012/13 48.3% 0.0% 80.0% 2010/12 P3.04 People presenting with HIV at a late stage of infection Sexual Health 36.4% 40.2% 68.4% 2012 P2.15ii Successful completion of drug treatment - non-opiate users Substance Misuse 58.7% 17.4%

Health and Social Care

| ID | Indicator | Source | Priority | Blackpool | England | Less favourable | Range | More favourable | Data Year | Local Qtr Priority Available |
|-----------|---|--------|-----------------------------------|-----------|---------|--------------------|-------|--------------------|-----------|---------------------------------|
| CHP14 | Children in care | | сн Early Years and Family Support | 166 | 60 | 166 | | 20 | 2013 | Yes |
| P2.07ii | Hospital admissions caused by unintentional and deliberate injurie | | Safeguarding and Domestic Ab | 277.3 | 130.7 | 63.8 | | 277.3 | 2012/13 | |
| CHP32 | Hospital admissions as a result of self-harm | | CH Mental Health | 311.9 | 115.5 | 311.9 | | 26.0 | 2011/12 | Yes |
| P4.06i | Under 75 mortality rate from liver disease | N ccc | Disease Prevention and Early D | 41.6 | 18.0 | 10.3 | | 41.6 | 2010-12 | |
| P4.06ii | Under 75 mortality rate from liver disease considered preventable | N ccc | Disease Prevention and Early D | 38.2 | 15.7 | 9.0 | | 38.2 | 2010-12 | Yes |
| P4.07i | Under 75 mortality rate from respiratory disease | N ccc | Disease Prevention and Early D | 81.6 | 33.5 | 20.5 | | 81.6 | 2010-12 | Yes |
| P4.08 | Mortality from communicable diseases (provisional) | | Disease Prevention and Early D | 96.9 | 64.8 | 47.0 | | 97.9 | 2010-12 | |
| P0.1iiMal | ELife Expectancy at Birth (Male) | | Disease Prevention and Early D | 74.0 | 78.9 | 74.0 | • | 82.1 | 2010/12 | |
| P0.2ivMa | Gap in life expectancy at birth between each local authority and En | | Disease Prevention and Early D | -5.2 | 0.0 | -5.2 | | 2.9 | 2010/12 | |
| P0.1iMale | e Healthy Life Expectancy at Birth (Male) | | Disease Prevention and Early D | 55.1 | 63.2 | 55.0 | | 70.3 | 2009 - 11 | |
| P4.07ii | Under 75 mortality rate from respiratory disease considered prever | N | Disease Prevention and Early D | 23.9 | 17.6 | 7.9 | | 45.0 | 2010-12 | |
| CHP7 | Children achieving a good level of development at age 5 | | сн Early Years and Family Support | 52.1% | 63.5% | 51.5% | | 76.5% | 2012 | |
| P4.04ii | Under 75 mortality rate from cardiovascular diseases considered pr | N ccc | Disease Prevention and Early D | 91.5 | 53.5 | 29.3 | | 95.2 | 2010-12 | Yes |
| P4.03 | Mortality rate from causes considered preventable | N | Disease Prevention and Early D | 303.6 | 229.4 | 136.2 | | 340.5 | 2010-12 | |
| P0.1iiFem | Life Expectancy at Birth (Female) | | Disease Prevention and Early D | 80.0 | 82.9 | 79.5 | | 85.9 | 2010/12 | |
| P0.2ivFer | n Gap in life expectancy at birth between each local authority and En | | Disease Prevention and Early D | -3.0 | 0.0 | -3.5 | | 2.9 | 2010/12 | |
| P2.23iii | Self-reported well-being - people with a low happiness score | | Mental Health | 12.8% | 10.4% | 5.5% | | 15.8% | 2012/13 | |
| C3.3a | Hip replacement casemix adjusted health gain | N ccc | | 0.3 | 0.4 | 0.3 | | 0.5 | 2011/12 | |
| CHP2 | Child mortality rate (age 1-17 years) | | CH Disease Prevention and Early D | 21.3 | 12.5 | 21.7 | • | 4.0 | 2010/12 | |
| P4.04i | Under 75 mortality rate from all cardiovascular diseases | N ccc | Disease Prevention and Early D | 98.4 | 60.9 | 39.5 | | 113.3 | 2010-12 | |
| P0.1iFem | a Healthy Life Expectancy at Birth (Female) | | Disease Prevention and Early D | 57.1 | 64.2 | 54.1 | | 72.1 | 2009 - 11 | |
| N2 | Health-related quality of life for people with long-term conditions | A N | Long Term Conditions and Disa | 0.7 | 0.7 | 0.6 | | 0.8 | 2012/13 | |
| C1.1m | Potential Years of Life Lost amenable to healthcare - male | N ccc | Disease Prevention and Early D | 3490.0 | 2267.0 | 1557.0 | | 4018.0 | 2012 | Yes |
| CHP29 | Hospital admissions due to injury (age under 18 years) | | СН | 182.6 | 122.6 | 211.1 | | 72.4 | 2011/12 | |
| P4.05i | Under 75 mortality rate from cancer | N | Disease Prevention and Early D | 135.3 | 108.1 | 84.0 | | 153.2 | 2009 - 11 | |
| P2.23ii | Self-reported well-being - people with a low worthwhile score | | Mental Health | 6.0% | 4.4% | 2.9% | | 8.2% | 2012/13 | |
| P2.02ii | Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth | | сн Early Years and Family Support | 26.6% | 47.2% | 17.5% | | 83.3% | 2012/13 | Yes |
| P4.10 | Suicide rate P | | Mental Health | 12.7 | 8.5 | 4.8 | | 14.5 | 2010-12 | |
| P2.02i | Breastfeeding - Breastfeeding initiation | | CH Early Years and Family Support | 51.4% | 74.0% | 40.8% | | 94.7% | 2012/13 | |
| P4.05ii | Under 75 mortality rate from cancer considered preventable | N | Disease Prevention and Early D | 109.6 | 84.9 | 53.8 | | 134.9 | 2010-12 | |
| P4.11m | Emergency readmissions within 30 days of discharge from hospital | | | 14.0% | 12.1% | 8.6% | | 14.8% | 2010/11 | |
| P2.07i | Hospital admissions caused by unintentional and deliberate injurie | | Safeguarding and Domestic Ab | 147.2 | 103.8 | 61.7 | • | 191.3 | 2012/13 | Yes |

| C1.8 | ergency admissions for alcohol related liver disease | | CCG | Disease Prevention and Early D | 49.6 | 25.2 | 6.8 | • | 95.4 | 2012/13 | | |
|----------|--|-----|-------|-----------------------------------|--------|--------|--------|----------|--------|---------------------|-----|---|
| CHP1 | Infant mortality rate | Р | N | сн Disease Prevention and Early D | 4.9 | 4.3 | 1.3 | • | 7.7 | 2010/12 | | |
| C1.1f | Potential Years of Life Lost amenable to healthcare - female | | N ccg | Disease Prevention and Early D | 2511.7 | 1911.0 | 1090.0 | • | 3099.0 | 2012 | Yes | |
| P2.23i | Self-reported well-being - people with a low satisfaction score | Р | | Mental Health | 7.2% | 5.8% | 3.4% | | 10.1% | 2012/13 | | |
| P2.21vii | Access to non-cancer screening programmes - diabetic retinopathy | Р | | Disease Prevention and Early D | 74.0% | 80.9% | 66.7% | • | 95.0% | 2011/12 | | Υ |
| C2.2 | % of patients with LTCs who feel supported | | N cce | Long Term Conditions and Diab | 64.5% | 65.6% | 53.9% | | 75.4% | 2012/13 | | |
| P2.20i | Cancer screening coverage - breast cancer | Р | | Disease Prevention and Early D | 68.5% | 76.3% | 58.2% | | 84.5% | 2013 | | |
| P4.12iii | Preventable sight loss - diabetic eye disease | Р | | Disease Prevention and Early D | 8.9 | 3.8 | 0.9 | | 15.8 | 2011/12 | | |
| P4.11 | Emergency readmissions within 30 days of discharge from hospital | Р | | | 13.3% | 11.8% | 8.1% | • | 13.8% | 2010/11 | | |
| P4.01 | Infant mortality | Р | | Disease Prevention and Early D | 5.7 | 4.3 | 2.3 | O | 8.0 | 2009-11 | | |
| P2.17 | Recorded diabetes | Р | | Disease Prevention and Early D | 6.9% | 5.8% | 3.6% | • | 8.0% | 2012/13 | Yes | |
| P4.12iv | Preventable sight loss - sight loss certifications | Р | | Disease Prevention and Early D | 59.1 | 44.5 | 5.1 | • | 82.5 | 2011/12 | | |
| A2A(2) | Permanent admissions to care homes (older people) | А | | Carers and Young Carers | 954 | 709 | 28 | • | 1398 | 2012/13 | Yes | Υ |
| CHP30 | Hospital admissions for asthma (age under 19 years) | | | CH Disease Prevention and Early D | 363.2 | 221.4 | 591.9 | | 63.4 | 2012/13 | | |
| A2C(2) | Delayed transfers of care attributable to social care | А | | | 6.4 | 3.3 | 0.3 | | 12.8 | 2012/13 | Yes | Υ |
| C3.2 | Emergency readmissions within 30 days of discharge from hospital | | N ccg | | 13.1 | 11.9 | 8.1 | | 13.9 | 2010 | | Υ |
| C3.3c | Groin hernia casemix adjusted health gain | | N cce | | 0.1 | 0.1 | 0.0 | • | 0.2 | 2011/12 | | |
| P4.11f | Emergency readmissions within 30 days of discharge from hospital | Р | | | 12.7% | 11.4% | 7.2% | | 13.2% | 2010/11 | | |
| P4.15ii | Excess Winter Deaths Index (Single year, ages 85+) | Р | | Frail Elderly | 24.3 | 22.9 | -7.6 | 0 | 53.1 | Aug 2010 - Jul 2011 | | |
| P2.20ii | Cancer screening coverage - cervical cancer | Р | | Disease Prevention and Early D | 69.8% | 73.9% | 58.6% | | 79.9% | 2013 | | |
| A4B | Respondents who answered 'Yes' as a percentage of all respondent | А | | Safeguarding and Domestic Abı | 77.3% | 65.1% | 0.0% | 0 | 0.0% | 2012/13 | | |
| CHP31 | Hospital admissions for mental health conditions | | | СН | 165.2 | 87.6 | 28.7 | • | 434.8 | 2012/13 | | |
| N1Bi M | Life expectancy at 75 Male | | N | Disease Prevention and Early D | 10.3 | 11.5 | 10.0 | | 13.6 | 2010/12 | | |
| N1Bii F | Life expectancy at 75 Female | | N | Disease Prevention and Early D | 12.1 | 13.3 | 11.6 | | 15.9 | 2010/12 | | |
| P2.22ii | Take up of NHS Health Check programme - health check take up | Р | | Disease Prevention and Early D | 39.5% | 49.1% | 7.7% | | 100.0% | 2012/13 | | |
| A2B(2) | People (aged 65+) offered reablement services following discharge | А | N | Frail Elderly | 1.4% | 3.2% | 0.3% | | 12.9% | 2011/12 | | |
| P4.12i | Preventable sight loss - age related macular degeneration (AMD) | Р | | Disease Prevention and Early D | 131.6 | 110.5 | 12.8 | O | 225.2 | 2011/12 | | |
| A1C(2) | Users and carers receiving direct payments in the year to 31 March a | А | | Carers and Young Carers | 8.4% | 13.7% | 3.9% | | 43.0% | 2011/12 | | Υ |
| C2.7 | Unplanned hospitalisation for asthma, diabetes and epilepsy in unc | | N ccg | Long Term Conditions and Diab | 386.7 | 309.0 | 73.4 | | 746.6 | 2012/13 | | Υ |
| P4.15i | Excess Winter Deaths Index (Single year, all ages) | Р | | Frail Elderly | 15.3 | 2.1 | 2.0 | 0 | 30.7 | 2011/12 | | |
| C2.6 | Unplanned admissions chronic ACS conditions | | N CCG | | 1090.6 | 808.3 | 184.8 | | 1595.2 | 2012/13 | | Y |
| A1G | Working-age learning disabled clients who are living in their own h | P A | | Long Term Conditions and Diab | 63.8% | 70.0% | 30.9% | • | 93.8% | 2011/12 | | Υ |
| P1.06i | Adults with a learning disability who live in stable and appropriate | P A | | Long Term Conditions and Disa | 63.8% | 70.0% | 30.9% | 0 | 93.8% | 2011/12 | | |
| C3.3b | Knee replacement casemix adjusted health gain | | N ccg | | 0.3 | 0.3 | 0.2 | O | 0.4 | | | |

| P1.18i | ₹ ial Isolation: % of adult social care users who have as much socia | P | | Carers and Young Carers | 53.5% | 43.2% | 31.9% | | 0 | 53.5% | 2012/13 | | |
|-------------|--|-----|-------|-----------------------------------|--------|--------|-------|----------|---|--------|--------------|-----|---|
| A1E | Working age learning disabled clients known to CASSRs in paid emr | Α | | Long Term Conditions and Diab | 4.4% | 7.1% | 0.9% | • | | 25.8% | 2011/12 | | Υ |
| P4.14ii | Hip fractures in people aged 65 and over - aged 65-79 | Р | | Frail Elderly | 239.5 | 222.2 | 135.7 | 0 | | 346.7 | 2011/12 | | |
| A2C(1) | Delayed transfers of care | Α | | | 11.8 | 9.5 | 1.1 | | | 27.1 | 2012/13 | Yes | Υ |
| A3D | Number of respondents who answered 'Very easy to find and 'Fairl' | Α | | | 57.0% | 68.7% | 0.0% | • | | 0.0% | 2012/13 | | |
| P2.23iv | Self-reported well-being - people with a high anxiety score | Р | | Mental Health | 21.3% | 21.0% | 10.9% | | | 29.0% | 2012/13 | CCG | |
| P3.03x | Population vaccination coverage - MMR for two doses (5 years old) | Р | | Disease Prevention and Early D | 84.9% | 87.7% | 68.9% | | | 97.0% | 2012/13 | Yes | |
| P2.24ii | Injuries due to falls in people aged 65 and over - aged 65-79 | Р | | Frail Elderly | 1018 | 941 | 545 | 0 | | 1726 | 2011/12 | | |
| A1C(1) | Number of clients and carers receiving self-directed support in the | Α | | Carers and Young Carers | 38.9% | 43.0% | 3.9% | <u> </u> | | 90.6% | 2011/12 | | Υ |
| P2.24if | Injuries due to falls in people aged 65 and over (males/females) (Fe | Р | | Frail Elderly | 2155 | 2028 | 1298 | 0 | | 3713 | 2011/12 | | |
| A2A(1) | Permanent admissions to care homes (younger adults) | Α | | Carers and Young Carers | 17.5 | 14.9 | 4.0 | <u> </u> | | 51.4 | 2012/13 | Yes | Υ |
| P4.12ii | Preventable sight loss - glaucoma | Р | | Disease Prevention and Early D | 13.1 | 12.8 | 3.0 | <u> </u> | | 34.5 | 2011/12 | | |
| P2.24i | Injuries due to falls in people aged 65 and over (Persons) | Р | | Frail Elderly | 1677 | 1665 | 1070 | 0 | | 2985 | 2011/12 | | |
| P3.03vi5yr | Population vaccination coverage - Hib / Men C booster (5 years) | Р | | Disease Prevention and Early D | 91.3% | 91.5% | 75.7% | 0 | | 98.1% | 2012/13 | | |
| C5.3 | Incidence of healthcare-associated infection - MRSA | 1 | N ccg | Disease Prevention and Early D | 1.2 | 1.7 | 0.0 | 0 | | 5.8 | (Apr12Oct13) | | Υ |
| P2.08 | Emotional well-being of looked after children | Р | | Early Years and Family Support | 13.8 | 13.8 | 9.5 | | | 20.1 | 2011/12 | | |
| P3.05ii | Treatment completion for TB - TB incidence | Р | | Disease Prevention and Early D | 14.8 | 15.1 | 0.0 | <u> </u> | | 112.3 | 2010-12 | | |
| C3.4 | $\label{thm:embedding} \mbox{Emergency admissions for children with lower respiratory tractinfe}$ | - 1 | N ccg | | 497 | 402 | 73 | • | | 822 | 2012/13 | | Υ |
| P3.03xiii | Population vaccination coverage - PPV | Р | | Disease Prevention and Early D | 68.0% | 69.1% | 55.3% | 0 | | 77.0% | 2012/13 | | |
| A1B | Proportion of respondents who felt they had control over their dail $% \left(1\right) =\left(1\right) \left(1\right)$ | Α | | Carers and Young Carers | 75.5% | 75.1% | 62.5% | | | 82.7% | 2011/12 | | |
| P3.03vi2yr | Population vaccination coverage - Hib / Men C booster (2 years old) | Р | | Disease Prevention and Early D | 92.8% | 92.7% | 77.0% | <u> </u> | | 98.3% | 2012/13 | | |
| P3.03xiv | Population vaccination coverage - Flu (aged 65+) | Р | | Disease Prevention and Early D | 73.4% | 73.4% | 65.5% | 0 | | 80.8% | 2012/13 | | |
| P3.03xii | Population vaccination coverage - HPV | Р | | Disease Prevention and Early D | 87.2% | 86.1% | 62.1% | | | 96.2% | 2012/13 | | |
| P2.24iii | Injuries due to falls in people aged 65 and over - aged 80+ | Р | | Frail Elderly | 4644 | 4924 | 2892 | • | | 8965 | 2011/12 | | |
| P3.03vii | Population vaccination coverage - PCV booster | Р | | Disease Prevention and Early D | 92.4% | 92.5% | 75.1% | | | 97.5% | 2012/13 | | |
| P3.03viii | Population vaccination coverage - MMR for one dose (2 years old) | Р | | CH Disease Prevention and Early D | 92.3% | 92.3% | 77.4% | 0 | | 98.4% | 2012/13 | | |
| P2.24im | Injuries due to falls in people aged 65 and over (males/females) (M | Р | | Frail Elderly | 1199 | 1302 | 704 | <u> </u> | | 2535 | 2011/12 | | |
| P3.03ix | Population vaccination coverage - MMR for one dose (5 years old) | Р | | Disease Prevention and Early D | 94.7% | 93.9% | 82.1% | <u> </u> | | 98.3% | 2012/13 | | |
| P3.03xv | Population vaccination coverage - Flu (at risk individuals) | Р | | Disease Prevention and Early D | 52.2% | 51.3% | 44.4% | 0 | | 68.8% | 2012/13 | | |
| C3.1 | Emergency admissions for acute conditions that should not usually | 1 | N ccg | | 1383.9 | 1189.8 | 324.7 | 0 | | 2301.3 | 2012/13 | | Υ |
| P2.22i | Take up of NHS Health Check Programme - health check offered | Р | | Disease Prevention and Early D | 19.3% | 16.5% | 0.7% | 0 | | 42.5% | 2012/13 | Yes | |
| A3A | Overall satisfaction of people who use services with their care and | Α | | Carers and Young Carers | 67.3% | 63.7% | 31.9% | 0 | | 89.8% | 2012/13 | Yes | |
| C5.4 | Incidence of healthcare-associated infection - C.Difficile | - 1 | N cce | Disease Prevention and Early D | 27.2 | 27.2 | 8.0 | 0 | | 58.5 | (Apr12Oct13) | | Υ |
| P3.03iii1yı | Population vaccination coverage - Dtap / IPV / Hib (1 year old) | Р | | Disease Prevention and Early D | 95.6% | 94.7% | 79.0% | 0 | | 99.0% | 2012/13 | | |
| P1.06ii | Adults in contact with secondary mental health services who live in | Р | | Mental Health | 8.5% | 58.5% | 5.5% | 0 | | 94.1% | 2012/13 | | |

| P3.03iv | Julation vaccination coverage - MenC | Р | | | Disease Prevention and Early D | 95.2% | 93.9% | 75.9% | 0 | 98.8% | 2012/13 | | |
|------------|--|---|-----|-----|----------------------------------|--------|--------|-------|----------|--------|---------------------------|-----|---|
| P3.03v | Population vaccination coverage - PCV | Р | | | Disease Prevention and Early D | 95.4% | 94.4% | 78.7% | • | 99.0% | 2012/13 | | |
| CHP28 | A&E attendances (age 0-4 years) | | | С | н | 391 | 511 | 1861 | | 214 | 2011/12 | | |
| P3.03iii2y | Population vaccination coverage - Dtap / IPV / Hib (2 years old) | Р | | С | н Disease Prevention and Early D | 97.4% | 96.3% | 81.9% | | 98.8% | 2012/13 | | |
| CHP5 | Children in care immunisations | | | С | H Disease Prevention and Early D | 96.8% | 83.1% | 0.0% | | 100.0% | 2013 | | |
| A1F | Working age adults who are receiving secondary mental health ser | Р | A N | | Mental Health | 12.4% | 8.8% | 0.0% | • | 0.0% | 2012/13 | | Υ |
| C4.1 | Patient experience of GP out-of-hours services | | N | CCG | | 80.1 | 70.2 | 54.5 | • | 85.4 | July12March13 | | |
| P4.14i | Hip fractures in people aged 65 and over | Р | | | Frail Elderly | 421.2 | 457.2 | 337.9 | 0 | 599.5 | 2011/12 | | |
| A2B(1) | Older people at home 91 days after hospital discharge (into reable | | A N | | Frail Elderly | 86.2% | 81.4% | 0.0% | O | 0.0% | 2012/13 | | |
| A1H | Adults who are receiving secondary mental health services on the | Р | Α | | Long Term Conditions and Diab | 73.6% | 58.5% | 0.0% | • | 0.0% | 2012/13 | | Υ |
| A1A | Social Care Related Quality of Life | | A N | | Carers and Young Carers | 19.6% | 18.8% | 17.4% | | 21.5% | 2012/13 | Yes | |
| A4A | The proportion of people who use services who feel safe | Р | А | | Safeguarding and Domestic Abı | 77.3% | 65.0% | 49.6% | | 92.5% | 2012/13 | Yes | |
| P4.14iii | Hip fractures in people aged 65 and over - aged 80+ | Р | | | Frail Elderly | 1239.0 | 1515.0 | 993.0 | 0 | 2021.0 | 2011/12 | | |
| N2.6i | Estimated diagnosis rate for people with dementia | Р | N | | Dementia | | 46.0 | | | | 2011/12 | CCG | |
| N2.6ii | Dementia - the effectiveness of post-diagnosis care in sustaining in | | A N | | Dementia | | | | | | Indicator to be developed | CCG | |
| N5.5 | Admission of full-term babies to neonatal care | | N | | Early Years and Family Support | 6 | 5 | 1 | 0 | 25 | 2011 | | |
| N2.1 | Proportion of people feeling supported to manage their condition | | N | | Long Term Conditions and Disa | 69.2 | 69.3 | | | | 2012/13 | | |
| N2.4 | Health-related quality of life for carers | | A N | | Carers and Young Carers | 0.8 | 0.8 | | | | 2012/13 | | |
| | , | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Wider Determinants of Health

| ID | Indicator | Source | Priority | Blackpool | England | Less favourable | Range | More favourable | Data Year | Local Priority | Qtr Available |
|----------|---|--------|-----------------------------------|-----------|---------|--------------------|----------|--------------------|-----------------|-------------------|------------------|
| P1.12ii | Violent crime (including sexual violence) - violence offences | | Crime and Anti-Social Behaviou | 27.1 | 10.6 | 4.1 | | 27.1 | 2012/13 | Yes | |
| P1.17 | Fuel Poverty P | | Transport | 18.0% | 10.9% | 3.8% | | 18.0% | 2011 | | |
| CHP15 | Children killed or seriously injured in road traffic accidents | | CH Transport | 36.5 | 20.7 | 32.5 | | 6.3 | 2010-12 | Yes | |
| P1.12i | Violent crime (including sexual violence) - hospital admission | | Crime and Anti-Social Behaviou | 166.6 | 67.7 | 9.9 | | 213.5 | 2009/10 - 11/12 | | |
| CHP8 | GCSE achieved (5A*-C inc. Eng and maths) | | CH Education and Aspirations | 46.1% | 60.8% | 43.7% | | 80.2% | 2012/13 | | |
| P1.03 | Pupil absence P | | Education and Aspirations | 5.9% | 5.1% | 4.3% | | 6.7% | 2011/12 | | |
| P1.9ii | Sickness absence - The percentage of working days lost due to | | Economy, Employment and Wo | 2.1% | 1.5% | 0.3% | 0 | 2.7% | 2009 - 11 | | |
| P1.05 | 16-18 year olds not in education employment or training | | CH Economy, Employment and Wo | 8.1% | 5.8% | 2.0% | | 10.5% | 2012 | Yes | |
| P1.01ii | Children in poverty (under 16) | | CH Education and Aspirations | 31.3% | 20.6% | 6.9% | | 43.6% | 2011 | Yes | |
| P1.13i | Re-offending levels - percentage of offenders who re-offend | | Crime and Anti-Social Behavior | 33.1% | 26.9% | 14.4% | | 36.3% | 2011 | | Υ |
| P1.13ii | Re-offending levels - average number of re-offences per offer | | Crime and Anti-Social Behaviou | 1.0 | 8.0 | 0.3 | • | 1.3 | 2011 | | Υ |
| HMO1 | Number of verifiable HMOs in administrative area | | Housing and Transience | 2134 | 260 | 0 | | 4938 | 2011 | | |
| P1.04i | First time entrants to the youth justice system | | СН Crime and Anti-Social Behaviou | 859 | 537 | 151 | • | 1427 | 2012 | | |
| P1.9i | Sickness absence - The percentage of employees who had at I | | Economy, Employment and Wo | 2.4% | 2.2% | 0.6% | 0 | 3.5% | 2009 - 11 | | |
| P1.8i | Gap in the employment rate between those with a long-term | | Economy, Employment and Wo | 8.8 | 7.1 | -5.3 | 0 | 21.7 | 2012 | | |
| P1.10 | Killed and seriously injured casualties on England's roads | | Transport | 44.8 | 40.5 | 16.9 | | 81.8 | 2010 - 12 | | |
| P1.14i | The percentage of the population affected by noise - Number | | Environment | 9.1 | 7.5 | 2.5 | | 58.4 | 2011/12 | | |
| P1.8ii | Gap in the employment rate between those with a learning di | | Economy, Employment and Wo | 62.9 | 63.2 | 40.2 | O O | 73.1 | 2011/12 | | |
| P1.14ii | The percentage of the population exposed to road, rail and air | | Environment | 4.1 | 5.4 | 0.3 | | 29.8 | 2006/07 | | |
| P1.15ii | Statutory homelessness - households in temporary accommod P | | Housing and Transience | 0.3 | 2.3 | 0.0 | • | 32.4 | 2011/12 | | |
| P1.14iii | The percentage of the population exposed to road, rail and air | | Environment | 6.8 | 12.8 | 0.8 | | 57.5 | 2006/07 | | |
| P1.15i | Statutory homelessness - homelessness acceptances | | Housing and Transience | 0.5 | 2.3 | 0.2 | | 9.7 | 2011/12 | | |
| CHP13 | Family homelessness | | CH Housing and Transience | 0.3 | 1.7 | 9.5 | | 0.1 | 2012/13 | | |
| P3.01 | Fraction of mortality attributable to particulate air pollution | | Environment | 3.6% | 5.4% | 3.0% | 0 | 8.3% | 2011 | | |
| CHP9 | GCSE achieved (5A*-C inc. Eng and maths) for children in care | | сн Education and Aspirations | | 15.3% | 0.0% | | 41.7% | 2012/13 | | |
| | | | | | | | | | | | |