

# **Kent Rd Roof**

*30 Nov 2020*

## Table of Contents

Title	Page	
A10	PROJECT PARTICULARS	3
A11	TENDER AND CONTRACT DOCUMENTS	4
A12	THE SITE/ EXISTING BUILDINGS	5
A13	DESCRIPTION OF THE WORK	6
A20	JCT MINOR WORKS BUILDING CONTRACT WITH CONTRACTOR'S DESIGN (...)	6
A30	TENDERING/ SUBLETTING/ SUPPLY	9
A31	PROVISION, CONTENT AND USE OF DOCUMENTS	12
A32	MANAGEMENT OF THE WORKS	16
A33	QUALITY STANDARDS/ CONTROL	18
A34	SECURITY/ SAFETY/ PROTECTION	23
A35	SPECIFIC LIMITATIONS ON METHOD/ SEQUENCE/ TIMING	28
A36	FACILITIES/ TEMPORARY WORK/ SERVICES	28
A37	OPERATION/ MAINTENANCE OF THE FINISHED WORKS	29
A40	CONTRACTOR'S GENERAL COST ITEMS: MANAGEMENT AND STAFF	30
A41	CONTRACTOR'S GENERAL COST ITEMS: SITE ACCOMMODATION	30
A44	CONTRACTOR'S GENERAL COST ITEMS: TEMPORARY WORKS	30
A54	PROVISIONAL WORK/ ITEMS	30
A55	DAYWORKS	32

## A10 PROJECT PARTICULARS

£

### 110 The Project

Name:

12 - 16 Kent Rd Roofing Scheme

Nature:

Removing slate roof covering and replacing with concrete interlocking tiles

Location:

12 - 16 Kent Rd, Blackpool, Lancashire, FY1 5HQ

Length of contract:

8 weeks

### 120 Employer (Client)

Name:

Blackpool Council, Property Services

Address:

Number One Bickerstaffe Sqaure, Talbot Road, Blackpool, FY1 3AH

Contact:

Emma Roberts

Telephone:

07769 239071

E-mail:

emma.roberts@blackpool.gov.uk

### 130 Principal contractor (CDM)

Name:

TBC

Address:

Contact:

Telephone:

E-mail:

### 140 Architect/ Contract Administrator

Name:

Blackpool Council, Property Services

Address:

Number One Bickerstaffe Sqaure, Talbot Road, Blackpool, FY1 3AH

Contact:

Emma Roberts

Telephone:

07769 239071

E-mail:

emma.roberts@blackpool.gov.uk

**Total for page £**

To be carried forward to General Summary (page 35)

**150 Principal designer**

Name:  
 Blackpool Council, Property Services  
 Address:  
 Number One Bickerstaffe Sqaure, Talbot Road, Blackpool, FY1 3AH  
 Contact:  
 Emma Roberts  
 Telephone:  
 07769 239071  
 E-mail:  
 emma.roberts@blackpool.gov.uk

**160 Quantity Surveyor**

Name:  
 Blackpool Council, Property Services  
 Address:  
 Number One Bickerstaffe Sqaure, Talbot Road, Blackpool, FY1 3AH  
 Contact:  
 Emma Roberts  
 Telephone:  
 07769 239071  
 E-mail:  
 emma.roberts@blackpool.gov.uk

**190 Clerk of Works**

Name:  
 Blackpool Council, Property Services  
 Address:  
 Number One Bickerstaffe Sqaure, Talbot Road, Blackpool, FY1 3AH  
 Telephone:  
 07769 239071

**200 Consultants**

Description:  
 Structural Engineer  
 Name:  
 TBC  
 Contact:  
 \_\_\_\_\_  
 Address:  
 \_\_\_\_\_  
 Telephone:  
 \_\_\_\_\_  
 E-mail:  
 \_\_\_\_\_

**A11 TENDER AND CONTRACT DOCUMENTS****110 Tender drawings**

The tender drawings are:  
 Kentroof001

**Total for page £**

To be carried forward to General Summary (page 35)

- 120 Contract drawings**  
The Contract Drawings: The same as the tender drawings.
- 160 Preconstruction information**  
Format: The Preconstruction information is described in these preliminaries in Section A34. It refers to information given elsewhere in the preliminaries and other tender documents.
- 180 Other documents**  
Inspection: Drawings and other documents relating to the Contract but not included in the tender documents may be seen by appointment during normal office hours at the office of  
Number One Bickerstaffe Sqaure, Talbot Road, Blackpool, FY1 3AH  
The documents include:
- 

## **A12 THE SITE/ EXISTING BUILDINGS**

- 110 The site**  
Description:  
Guest Houses situated on Kent Road, Blackpool, FY1 5HQ
- 120 Existing buildings on/ adjacent to the site**  
Description:  
Commercial Properties
- 140 Existing utilities and services**  
Drawings: (Information shown is indicative only):
- 
- Other information:  
Electricity, gas, water, telecoms
- 200 Access to the site**  
Description:  
Via Chapel Street and on to Kent Road  
Limitations:  
By appointment via Emma Roberts
- 210 Parking**  
Restrictions on parking of the Contractor's and employees' vehicles:  
Restricted to off road parking, unless otherwise stated in the Pretender Health & Safety plan
- 220 Use of the site**  
General: Do not use the site for any purpose other than carrying out the Works.  
Limitations:  
Confined access
- 230 Surrounding land/ building uses**  
General: Adjacent or nearby uses or activities are as follows:  
Commercial Properties

**Total for page £**

To be carried forward to General Summary (page 35)

**240 Health and safety hazards**

General: The nature and condition of the site/ building cannot be fully and certainly ascertained before it is opened up. However, the following hazards are or may be present:

Contractor to check for overhead cables

Information: The accuracy and sufficiency of this information is not guaranteed.

Ascertain if any additional information is required to ensure the safety of all persons and the Works.

Site staff: Draw to the attention of all personnel working on the site the nature of any possible contamination and the need to take appropriate precautionary measures.

**250 Site visit**

Assessment: Ascertain the nature of the site, access thereto and all local conditions and restrictions likely to affect the execution of the Works.

Arrangements for visit:

Contact Emma Roberts: 07769 239071

**A13 DESCRIPTION OF THE WORK****110 Preparatory work by others**

Works: Carried out under a separate contract and completed before the start of work on site for this Contract.

Description:

Asbestos survey

**120 The works**

Description:

Removing slate roof covering and replacing with concrete interlocking tiles

**130 Work by others concurrent with the contract**

Description:

Rendering and pointing

**140 Completion work by others**

Description:

To be arranged with all parties

**A20 JCT MINOR WORKS BUILDING CONTRACT WITH CONTRACTOR'S DESIGN (MWD)****JCT MINOR WORKS BUILDING CONTRACT WITH CONTRACTOR'S DESIGN**

The Contract: JCT Minor Works Building Contract with Contractor's Design 2016 Edition.

Requirement: Allow for the obligations, liabilities and services described.

**THE RECITALS****Second Contractor's designed portion**

The Works include the design and construction of:

lead work and flat roof overlay to front elevation, ventilation to all roofing

**Total for page £**

To be carried forward to General Summary (page 35)

**Third Contract documents**

Contract drawings: As listed in clause A11/120.

Contract documents: The following have been prepared which show and describe the work to be done

Work schedules

**Fourth Priced documents**

Documents to be priced or provided by the Contractor:

Work schedules

**ARTICLES****3 Architect/ Contract Administrator**

Architect/ Contract Administrator: See clause A10/140.

**4 and 5 Principal Designer/ Principal Contractor**

Principal Designer: See clause A10/150.

Principal Contractor: See clause A10/130.

**CONTRACT PARTICULARS****Fifth Recital and Schedule 2 Base date**

Base date:

07/12/2020

**Fifth Recital and clause 4.2 Construction industry scheme (CIS)**

Employer at base date

isa 'contractor' for the purposes of the CIS.

**Sixth Recital CDM Regulations**

The project

is not notifiable.

**Article 7 Arbitration**

Article 7 and Schedule 1

apply

**Clause 2.3 Commencement and Completion**

Works commencement date:

TBC

Date for Completion:

8 weeks after start date

**Clause 2.9 Liquidated damages**

At the rate of

£400.00per

calendar week or pro-rata thereto.

**Clause 2.11 Rectification period**

Period:

Two weeks from the date of practical completion.

**Total for page £**

To be carried forward to General Summary (page 35)

**Clause 4.3 Interim payments**

Interim Valuation Dates:

- The first Interim Valuation Date is:

Four weeks after start date

- Thereafter at intervals of:

every 4 weeks

Payments due prior to practical completion:

- Percentage of total value of the work etc.:

95 per cent

Payments becoming due on or after practical completion:

- Percentage of the total amount to be paid:

97½ per cent

**Clause 4.3 and 4.8 Fluctuations provision**

The following fluctuations provision applies:

Schedule 2 (Contribution, levy and tax changes)

Where Schedule 2 applies, the percentage addition (paragraph 13) is

2%

**Clause 4.8.1 Supply of documentation for computation of amount to be finally certified**

Period:

Three months from the date of practical completion.

**Clause 5.3 Contractor's Public Liability insurance - injury to persons or property**

The required level of Removing slate roof covering and replacing with concrete interlocking tiles cover for any one occurrence or series of occurrences arising out of one event:

- Not less than:

£5 million

**Clauses 5.4A, 5.4B and 5.4C Insurance of the works, etc. - alternative provisions**

Clause

5.4A applies.

Where clause 5.4A or 5.4B applies, percentage to cover professional fees:

15 per cent

Where clause 5.4C applies, insurance arrangements - details of the required

policy or policies:

**Clause 7.2 Adjudication**

The Adjudicator is:

TBC

Nominating body:

Royal Institution of Chartered Surveyors

**Schedule 1 paragraph 2.1 Arbitration**

Appointor of Arbitrator (and of any replacement): President or a Vice president of the:

The Royal Institution of Chartered Surveyors

**THE CONDITIONS**

**Total for page £**

To be carried forward to General Summary (page 35)



**Section 1: Definitions and Interpretation****Section 2: Carrying out the Works****Section 3: Control of the Works****Section 4: Payment****Section 5: Injury, Damage and Insurance****Section 6: Termination****Section 7: Settlement of Disputes****EXECUTION**

The Contract: Will be executed  
as a deed

**A30 TENDERING/ SUBLETTING/ SUPPLY****MAIN CONTRACT TENDERING****110 Scope**

General: These conditions are supplementary to those stated in the Invitation to Tender and on the form of tender.

**145 Tendering procedure**

General: In accordance with the principles of:

Where errors are found in the priced tender documents to be dealt with in accordance with Alternative 1 of JCT Series 2 Practice Note 6, the tenderer should be given details of the errors and afforded an opportunity of confirming or withdrawing his tender.

Arithmetical errors:

Pricing document is dominant.

**160 Exclusions**

Inability to tender: Immediately inform if any parts of the work as defined in the tender documents cannot be tendered.

Relevant parts of the work: Define those parts, stating reasons for the inability to tender.

**170 Acceptance of tender**

Acceptance: No guarantee is offered that any tender will be recommended for acceptance or be accepted, or that reasons for non acceptance will be given.

Costs: No liability is accepted for any cost incurred in the preparation of any tender.

**PRICING/ SUBMISSION OF DOCUMENTS****210 Preliminaries in the specification**

The Preliminaries/ General conditions sections (A10-A56 inclusive) must not be relied on as complying with SMM7/ NRM2.

**Total for page £**

To be carried forward to General Summary (page 35)

**250 Priced schedules of work**

Alterations: Do not alter or qualify the priced schedules of work without written consent. Tenders containing unauthorised alterations or qualifications may be rejected.

Measurements: Where not stated, ascertain from the drawings.

Deemed included: Costs relating to items, which are not priced, will be deemed to have been included elsewhere in the tender.

Submit:  
with tender

**310 Tender**

General: Tenders must include for all work shown or described in the tender documents as a whole or clearly apparent as being necessary for the complete and proper execution of the Works.

**440 Schedule of rates**

Content: Provide rates for all significant items of work including at least the following:

Labour rates for each trade, include itemised percentage for overheads and profit

Fully priced copy: Submit  
with the tender

**550 Health and safety information**

Content: Describe the organization and resources to safeguard the health and safety of operatives, including those of subcontractors, and of any person whom the Works may affect.

Include:

- A copy of the health and safety policy document, including risk assessment procedures.
- Accident and sickness records for the past five years.
- Records of previous Health and Safety Executive enforcement action.
- Records of training and training policy.
- The number and type of staff responsible for health and safety on this project with details of their qualifications and duties.

Submit:  
With the Tender

---

**Total for page £**

To be carried forward to General Summary (page 35)

**570 Outline construction phase health and safety plan**

Content: Submit the following information within one week of request:

- Method statements on how risks from hazards identified in the pre-construction information and other hazards identified by the contractor will be addressed.
- Details of the management structure and responsibilities.
- Arrangements for issuing health and safety directions.
- Procedures for informing other contractors and employees of health and safety hazards.
- Selection procedures for ensuring competency of other contractors, the self-employed and designers.
- Procedures for communications between the project team, other contractors and site operatives.
- Arrangements for cooperation and coordination between contractors.
- Procedures for carrying out risk assessment and for managing and controlling the risk.
- Emergency procedures including those for fire prevention and escape.
- Arrangements for ensuring that all accidents, illness and dangerous occurrences are recorded.
- Arrangements for welfare facilities.
- Procedures for ensuring that all persons on site have received relevant health and safety information and training.
- Arrangements for consulting with and taking the views of people on site.
- Arrangements for preparing site rules and drawing them to the attention of those affected and ensuring their compliance.
- Monitoring procedures to ensure compliance with site rules, selection and management procedures, health and safety standards and statutory requirements.
- Review procedures to obtain feedback.

**590 Site Waste Management Plan**

Person responsible for developing the Plan: The Contractor.

Content: Include details of:

- Principal Contractor for the purposes of the plan
- Location of the site.
- Description of the project.
- Estimated project cost.
- Types and quantities of waste that will be generated.
- Resource management options for these wastes including proposals for minimization/ reuse/ recycling.
- The use of appropriate and licensed waste management contractors.
- Record keeping procedures.
- Waste auditing protocols.

Additional requirements:

Segregation of recyclable waste

Submit with tender.

**Total for page £**

To be carried forward to General Summary (page 35)

- 595 Environmental policy**  
 Environmental Policy:  
 - Location: See A11/180.  
 - Evidence of compliance: Submit:  
 Company policy  
 Project Environmental Management System: Develop a system compatible with the Environmental Policy.  
 - Format:  
 Word document  
 - Specific Requirements:  
 Containment of spillage of petroleum products  
 - Submit:  
 method statement  
 Supporting information: Supply as necessary, including:  
 - Information:  
 Measures of dealing with contaminants  
 - Format:  
 Word document  
 - Submit:  
 Details, spill kits method of communicating
- 599 Freedom of Information**  
 Records: Retain, make available for inspection and supply on request information reasonably required to allow response to requests made under the provisions of the Freedom of Information Act.  
 Determination: Submit requests received. Do not supply information to anyone other than the project participants without express written permission.  
 Confidentiality: Maintain at all times.

## **A31 PROVISION, CONTENT AND USE OF DOCUMENTS**

### **DEFINITIONS AND INTERPRETATIONS**

- 110 Definitions**  
 Meaning: Terms, derived terms and synonyms used in the preliminaries/ general conditions and specification are as stated therein or in the appropriate British Standard or British Standard glossary.
- 120 Communication**  
 Definition: Includes advise, inform, submit, give notice, instruct, agree, confirm, seek or obtain information, consent or instructions, or make arrangements.  
 Format: In writing to the person named in clause A10/140 unless specified otherwise.  
 Response: Do not proceed until response has been received.
- 130 Products**  
 Definition: Materials, both manufactured and naturally occurring, and goods, including components, equipment and accessories, intended for the permanent incorporation in the Works.  
 Includes: Goods, plant, materials, site materials and things for incorporation into the Works.

**Total for page £**

To be carried forward to General Summary (page 35)

- 135 Site equipment**  
Definition: Apparatus, appliances, machinery, vehicles or things of whatsoever nature required in or about the construction for the execution and completion of the Works but not materials or other things intended to form or forming part of the Permanent Works.  
Includes: Construction appliances, vehicles, consumables, tools, temporary works, scaffolding, cabins and other site facilities.  
Excludes: Products and equipment or anything intended to form or forming part of the permanent works.
- 140 Drawings**  
Definitions: To BSRIA BG 6, 'A design framework for building services: Design activities and drawing definitions'.  
CAD data: In accordance with ISO 19650.
- 145 Contractor's choice**  
Meaning: Selection delegated to the Contractor, but liability to remain with the specifier.
- 150 Contractor's Design**  
Meaning: Design to be carried out or completed by the Contractor and supported by appropriate contractual arrangements, to correspond with specified requirements.
- 155 Submit proposals**  
Meaning: Submit information in response to specified requirements.

---

**Total for page £**

To be carried forward to General Summary (page 35)

**160 Terms used in specification**

**Remove:** Disconnect, dismantle as necessary and take out the designated products or work and associated accessories, fixings, supports, linings and bedding materials. Dispose of unwanted materials. Excludes taking out and disposing of associated pipework, wiring, ductwork or other services.

**Fix:** Receive, unload, handle, store, protect, place and fasten in position and disposal of waste and surplus packaging including all labour, materials and site equipment for that purpose.

**Supply and fix:** As above, but including supply of products to be fixed. All products to be supplied and fixed unless stated otherwise.

**Keep for reuse:** Do not damage designated products or work. Clean off bedding and jointing materials. Stack neatly, adequately protect and store until required by the Employer/ Purchaser or for use in the Works as instructed.

**Make good:** Execute local remedial work to designated work. Make secure, sound and neat. Excludes redecoration and/ or replacement.

**Replace:** Supply and fix new products matching those removed. Execute work to match original new state of that removed.

**Repair:** Execute remedial work to designated products. Make secure, sound and neat. Excludes redecoration and/ or replacement.

**Refix:** Fix removed products.

**Ease:** Adjust moving parts of designated products or work to achieve free movement and good fit in open and closed positions.

**Match existing:** Provide products and work of the same appearance and features as the original, excluding ageing and weathering. Make joints between existing and new work as inconspicuous as possible.

**System:** Equipment, accessories, controls, supports and ancillary items, including installation, necessary for that section of the work to function.

**170 Manufacturer and product reference**

**Definition:** When used in this combination:

- **Manufacturer:** the person or legal entity under whose name or trademark the particular product, component or system is marketed

- **Product reference:** the proprietary brand name and/ or identifier by which the particular product, component or system is described.

**Currency:** References are to the particular product as specified in the manufacturer's technical literature current on the date of the invitation to tender.

**Total for page £**

To be carried forward to General Summary (page 35)

**200 Substitution of products**

Products: If an alternative product to that specified is proposed, obtain approval before ordering the product.

Reasons: Submit reasons for the proposed substitution.

Documentation: Submit relevant information, including:

- manufacturer and product reference;
- cost;
- availability;
- relevant standards;
- performance;
- function;
- compatibility of accessories;
- proposed revisions to drawings and specification;
- compatibility with adjacent work;
- appearance;
- copy of warranty/ guarantee.

Alterations to adjacent work: If needed, advise scope, nature and cost.

Manufacturers' guarantees: If substitution is accepted, submit before ordering products.

**210 Cross references**

Accuracy: Check remainder of the annotation or item description against the terminology used in the section or clause referred to.

Related terminology: Where a numerical cross-reference is not given the relevant sections and clauses of the specification will apply.

Relevant clauses: Clauses in the referred to specification section dealing with general matters, ancillary products and execution also apply.

Discrepancy or ambiguity: Before proceeding, obtain clarification or instructions.

**220 Referenced documents**

Conflicts: Specification prevails over referenced documents.

**230 Equivalent products**

Inadvertent omission: Wherever products are specified by proprietary name the phrase 'or equivalent' is to be deemed included.

**240 Substitution of standards**

Specification to British Standard or European Standard: Substitution may be proposed complying with a grade or category within a national standard of another Member State of the European Community or an international standard recognised in the UK.

Before ordering: Submit notification of all such substitutions.

Documentary evidence: Submit for verification when requested as detailed in clause A31/200. Any submitted foreign language documents must be accompanied by certified translations into English.

**250 Currency of documents and information**

Currency: References to published documents are to the editions, including amendments and revisions, current on the date of the Invitation to Tender.

**Total for page £**

To be carried forward to General Summary (page 35)

**260 Sizes**

General dimensions: Products are specified by their co-ordinating sizes.

Timber: Cross section dimensions shown on drawings are:

- Target sizes as defined in BS EN 336 for structural softwood and hardwood sections.

- Finished sizes for non-structural softwood or hardwood sawn and further processed sections.

**DOCUMENTS PROVIDED ON BEHALF OF THE EMPLOYER****410 Additional copies of drawings/ documents**

Additional copies: Issued free of charge.

**440 Dimensions**

Scaled dimensions: Do not rely on.

**450 Measured quantities**

Ordering products and constructing the Works: The accuracy and sufficiency of the measured quantities is not guaranteed.

Precedence: The specification and drawings shall override the measured quantities.

**460 The specification**

Coordination: All sections must be read in conjunction with Main Contract Preliminaries/ General conditions.

**DOCUMENTS PROVIDED BY CONTRACTOR/ SUBCONTRACTORS/ SUPPLIERS****630 Technical literature**

Information: Keep on site for reference by all supervisory personnel:

- Manufacturers' current literature relating to all products to be used in the Works.

- Relevant British, EN or ISO Standards.

**640 Maintenance instructions and guarantees**

Components and equipment: Obtain or retain copies, register with manufacturer and hand over on or before completion of the Works.

Information location: In Building Manual.

Emergency call out services: Provide telephone numbers for use after completion. Extent of cover:

office hours only

**A32 MANAGEMENT OF THE WORKS****GENERALLY****110 Supervision**

General: Accept responsibility for coordination, supervision and administration of the Works, including subcontracts.

Coordination: Arrange and monitor a programme with each subcontractor, supplier, local authority and statutory undertaker, and obtain and supply information as necessary for coordination of the work.

**Total for page £**

To be carried forward to General Summary (page 35)



**120 Insurance**

Documentary evidence: Before starting work on site submit details, and/ or policies and receipts for the insurances required by the Conditions of Contract.

**130 Insurance claims**

Notice: If any event occurs which may give rise to any claim or proceeding in respect of loss or damage to the Works or injury or damage to persons or property arising out of the Works, immediately give notice to the Employer / Client, the person administering the contract on their behalf and the Insurers. Failure to notify: Indemnify the Employer against any loss, which may be caused by failure to give such notice.

**140 Climatic conditions**

Information: Record accurately and retain:  
 - Daily maximum and minimum air temperatures (including overnight).  
 - Delays due to adverse weather, including description of the weather, types of work affected and number of hours lost.

**150 Ownership**

Alteration/ clearance work: Materials arising become the property of the Contractor except where otherwise stated. Remove from site as work proceeds.

**PROGRAMME/ PROGRESS****210 Programme**

Master programme: Immediately when requested and before starting work on site submit in an approved form a master programme for the Works, which must include details of:

- Planning and mobilisation by the Contractor
- Subcontractor's work.
- Running in, adjustment, commissioning and testing of all engineering services and installations.
- Work resulting from instructions issued in regard to the expenditure of provisional sums.
- Work by others concurrent with the Contract.

Submit  
three copies

**245 Start of work on site**

Notice: Before the proposed date for start of work on site give minimum notice of two weeks

**250 Monitoring**

Progress: Record on a copy of the programme kept on site.  
 Avoiding delays: If any circumstances arise which may affect the progress of the Works submit proposals or take other action as appropriate to minimize any delay and to recover any lost time.

Key Performance Indicators:

- Details:

- Performance: Record progress against each KPI.
- Corrective action: If performance falls below target, submit proposals as soon as possible.

**Total for page £**

To be carried forward to General Summary (page 35)

- 260 Site meetings**  
 General: Site meetings will be held to review progress and other matters arising from administration of the Contract.  
 Frequency:  
 Every two weeks  
 Location:  
 Venue to be arranged  
 Accommodation: Ensure availability at the time of such meetings.  
 Attendees: Attend meetings and inform subcontractors and suppliers when their presence is required.  
 Chairperson (who will also take and distribute minutes):  
 Contract Administrator
- 290 Notice of completion**  
 Requirement: Give notice of the anticipated dates of completion of the whole or parts of the Works.  
 Associated works: Ensure necessary access, services and facilities are complete.  
 Period of notice (minimum):  
 Two weeks
- 310 Extensions of time**  
 Notice: When a notice of the cause of any delay or likely delay in the progress of the works is given under the contract, written notice must also be given of all other causes which apply concurrently.  
 Details: As soon as possible submit:  
 - Relevant particulars of the expected effects, if appropriate, related to the concurrent causes.  
 - An estimate of the extent, if any, of the expected delay in the completion of the Works beyond the date for completion.  
 - All other relevant information required.
- 420 Removal/ replacement of existing work**  
 Extent and location: Agree before commencement.  
 Execution: Carry out in ways that minimize the extent of work.
- 430 Proposed instructions**  
 Estimates: If a proposed instruction requests an estimate of cost, submit without delay and in any case within seven days.
- 440 Measurement**  
 Covered work: Give notice before covering work required to be measured.
- 470 Products not incorporated into the Works**  
 Ownership: At the time of each valuation, supply details of those products not incorporated into the Works which are subject to any reservation of title inconsistent with passing of property as required by the Conditions of Contract, together with their respective values.  
 Evidence: When requested, provide evidence of freedom of reservation of title.

**A33 QUALITY STANDARDS/ CONTROL**  
**STANDARDS OF PRODUCTS AND EXECUTIONS**

**Total for page £**

To be carried forward to General Summary (page 35)

**110 Incomplete documentation**

General: Where and to the extent that products or work are not fully documented, they are to be:

- Of a kind and standard appropriate to the nature and character of that part of the Works where they will be used.
- Suitable for the purposes stated or reasonably to be inferred from the project documents.

Contract documents: Omissions or errors in description and/ or quantity shall not vitiate the Contract nor release the Contractor from any obligations or liabilities under the Contract.

**120 Workmanship skills**

Operatives: Appropriately skilled and experienced for the type and quality of work.

Registration: With Construction Skills Certification Scheme.

Evidence: Operatives must produce evidence of skills/ qualifications when requested.

**130 Quality of products**

Generally: New. (Proposals for recycled products may be considered).

Supply of each product: From the same source or manufacturer.

Whole quantity of each product required to complete the Works: Consistent kind, size, quality and overall appearance.

Tolerances: Where critical, measure a sufficient quantity to determine compliance.

Deterioration: Prevent. Order in suitable quantities to a programme and use in appropriate sequence.

**135 Quality of execution**

Generally: Fix, apply, install or lay products securely, accurately, plumb, neatly and in alignment.

Colour batching: Do not use different colour batches where they can be seen together.

Dimensions: Check on-site dimensions.

Finished work: Without defects, e.g. not damaged, disfigured, dirty, faulty, or out of tolerance.

Location and fixing of products: Adjust joints open to view so they are even and regular.

**140 Evidence of Compliance**

Proprietary products: Retain on site evidence that the proprietary product specified has been supplied.

Performance specification: Submit evidence of compliance, including test reports indicating:

- Properties tested.
- Pass/ fail criteria.
- Test methods and procedures.
- Test results.
- Identity of testing agency.
- Test dates and times.
- Identities of witnesses.
- Analysis of results.

**Total for page £**

To be carried forward to General Summary (page 35)

- 150 Inspections**  
 Products and executions: Inspection or any other action must not be taken as approval unless confirmed in writing referring to:  
 - Date of inspection.  
 - Part of the work inspected.  
 - Respects or characteristics which are approved.  
 - Extent and purpose of the approval.  
 - Any associated conditions.
- 160 Related work**  
 Details: Provide all trades with necessary details of related types of work. Before starting each new type or section of work ensure previous related work is:  
 - Appropriately complete.  
 - In accordance with the project documents.  
 - To a suitable standard.  
 - In a suitable condition to receive the new work.  
 Preparatory work: Ensure all necessary preparatory work has been carried out.
- 170 Manufacturer's recommendations/ instructions**  
 General: Comply with manufacturer's printed recommendations and instructions current on the date of the Invitation to tender.  
 Exceptions: Submit details of changes to recommendations or instructions.  
 Execution: Use ancillary products and accessories supplied or recommended by main product manufacturer.  
 Products: Comply with limitations, recommendations and requirements of relevant valid certificates.
- 180 Water for the works**  
 Mains supply: Clean and uncontaminated.  
 Other: Do not use until:  
 - Evidence of suitability is provided.  
 - Tested to BS EN 1008 if instructed.
- SAMPLES/ APPROVALS**
- 210 Samples**  
 Products or executions: Comply with all other specification requirements and in respect of the stated or implied characteristics either:  
 - To an express approval.  
 - To match a sample expressly approved as a standard for the purpose.
- 220 Approval of products**  
 Submissions, samples, inspections and tests: Undertake or arrange to suit the Works programme.  
 Approval: Relates to a sample of the product and not to the product as used in the Works. Do not confirm orders or use the product until approval of the sample has been obtained.  
 Complying sample: Retain in good, clean condition on site. Remove when no longer required.

**Total for page £**

To be carried forward to General Summary (page 35)

**230 Approval of execution**

Submissions, samples, inspections and tests: Undertake or arrange to suit the Works programme.

Approval: Relates to the stated characteristics of the sample. (If approval of the finished work as a whole is required this is specified separately). Do not conceal, or proceed with affected work until compliance with requirements is confirmed.

Complying sample: Retain in good, clean condition on site. Remove when no longer required.

**ACCURACY/ SETTING OUT GENERALLY****320 Setting out**

General: Submit details of methods and equipment to be used in setting out the Works.

Levels and dimensions: Check and record the results on a copy of drawings.

Notify discrepancies and obtain instructions before proceeding.

Inform: When complete and before commencing construction.

**330 Appearance and fit**

Tolerances and dimensions: If likely to be critical to execution or difficult to achieve, as early as possible either:

- Submit proposals; or

- Arrange for inspection of appearance of relevant aspects of partially finished work.

General tolerances (maximum): To BS 5606, tables 1 and 2.

**SERVICES GENERALLY****410 Services regulations**

New or existing services: Comply with the Byelaws or Regulations of the relevant Statutory Authority.

**445 Service runs**

General: Provide adequate space and support for services, including unobstructed routes and fixings.

Ducts, chases and holes: Form during construction rather than cut.

Coordination with other works: Submit details of locations, types/ methods of fixing of services to fabric and identification of runs and fittings.

**450 Mechanical and electrical services**

Final tests and commissioning: Carry out so that services are in full working order at completion of the Works.

Building Regulations notice: Copy to be lodged in the Building Manual.

**SUPERVISION/ INSPECTION/ DEFECTIVE WORK****525 Access**

Extent: Provide at all reasonable times access to the Works and to other places of the Contractor or subcontractors where work is being prepared for the Contract.

Designate:

Contract Administrator

**Total for page £**

To be carried forward to General Summary (page 35)

**530 Overtime working**

Notice: Prior to overtime being worked, submit details of times, types and locations of work to be done.

- Minimum period of notice:

Three days

Concealed work: If executed during overtime for which notice has not been given, it may be required to be opened up for inspection and reinstated at the Contractor's expense.

**540 Defects in existing work**

Undocumented defects: When discovered, immediately give notice. Do not proceed with affected related work until response has been received.

Documented remedial work: Do not execute work which may:

- Hinder access to defective products or work; or

- Be rendered abortive by remedial work.

**560 Tests and inspections**

Timing: Agree and record dates and times of tests and inspections to enable all affected parties to be represented.

Confirmation: One working day prior to each such test or inspection. If sample or test is not ready, agree a new date and time.

Records: Submit a copy of test certificates and retain copies on site.

**610 Defective products/ executions**

Proposals: Immediately any work or product is known, or appears, to be not in accordance with the Contract, submit proposals for opening up, inspection, testing, making good, adjustment of the Contract Sum, or removal and re-execution.

Acceptability: Such proposals may be unacceptable and contrary instructions may be issued.

**WORK AT OR AFTER COMPLETION****710 Work before completion**

General: Make good all damage consequent upon the Works.

Temporary markings, coverings and protective wrappings: Remove unless otherwise instructed.

Cleaning: Clean the Works thoroughly inside and out, including all accessible ducts and voids. Remove all splashes, deposits, efflorescence, rubbish and surplus materials.

Cleaning materials and methods: As recommended by manufacturers of products being cleaned, and must not damage or disfigure other materials or construction.

COSHH data sheets: Obtain for all materials used for cleaning and ensure they are used only as recommended by their manufacturers.

Minor faults: Touch up in newly painted work, carefully matching colour and brushing out edges. Repaint badly marked areas back to suitable breaks or junctions.

Moving parts of new work: Adjust, ease and lubricate as necessary to ensure easy and efficient operation, including doors, windows, drawers, ironmongery, appliances, valves and controls.

**Total for page £**

To be carried forward to General Summary (page 35)

- 720 Security at completion**  
 General: Leave the Works secure with, where appropriate, all accesses closed and locked.  
 Keys: Account for and adequately label all keys and hand over together with an itemized schedule, retaining duplicate schedule signed as a receipt.
- 730 Making good defects**  
 Remedial work: Arrange access with Contract Administrator  
 Rectification: Give reasonable notice for access to the various parts of the Works.  
 Completion: Notify when remedial works have been completed.
- A34 SECURITY/ SAFETY/ PROTECTION**
- 120 Execution hazards**  
 Common hazards: Not listed. Control by good management and site practice.  
 Significant hazards: The design of the project includes the following:  
 - Hazard:  
 Working from height  
 - Precautions assumed:  
 Trained and competent operatives  
 - Specification reference:  
 N/A  
 - Drawing reference:  
 N/A
- 140 Construction phase health and safety plan**  
 Submission: Present to the Employer/ Client no later than One week from notification of successful contractor  
 Confirmation: Do not start construction work until the Employer has confirmed in writing that the Construction Phase Health and Safety Plan includes the procedures and arrangements required by the CDM Regulations.  
 Content: Develop the plan from and draw on the Outline Construction Phase Health and Safety Plan, clause A30/570, and the Pre-tender Health and Safety Plan/ Preconstruction information.
- 150 Security**  
 Protection: Safeguard the site, the Works, products, materials, and any existing buildings affected by the Works from damage and theft.  
 Access: Take all reasonable precautions to prevent unauthorized access to the site, the Works and adjoining property.  
 Special requirements:  
 All access equipment including scaffolding / materials storage facility, security fencing to be maintained signed and protected in a state that is secure to prevent any unauthorised access by others for the duration of the works.
- 160 Stability**  
 Responsibility: Maintain the stability and structural integrity of the Works and adjacent structures during the Contract.  
 Design loads: Obtain details, support as necessary and prevent overloading.

**Total for page £**

To be carried forward to General Summary (page 35)

- 170 Occupied premises**  
 Extent: Existing buildings will be occupied and/ or used during the Contract as follows:  
 Open as Guest Houses  
 Works: Carry out without undue inconvenience and nuisance and without danger to occupants and users.  
 Overtime: If compliance with this clause requires certain operations to be carried out during overtime, and such overtime is not required for any other reason, the extra cost will be allowed, provided that such overtime is authorized in advance.
- 210 Safety provisions for site visits**  
 Safety: Submit details in advance of safety provisions and procedures (including those relating to materials, which may be deleterious), which will require their compliance when visiting the site.  
 Protective clothing and/ or equipment: Provide and maintain on site for visitors to the site.
- 220 Working precautions/ restrictions**  
 Hazardous areas: Operatives must take precautions as follows:  
 - Work area:  
 Entrances and exits  
 - Precautions:  
 Must be kept open at all times  
 Permit to work: Operatives must comply with procedures in the following areas:  
 - Work area:  
 At height and hot works  
 - Procedures:  
 By permit controlled by Site Supervisor
- 330 Noise and vibration**  
 Standard: Comply with the recommendations of BS 5228-1, in particular clause 7.3, to minimize noise levels during the execution of the Works.  
 Noise levels from the Works: Maximum level:  
 85 dB(A) when measured from  
 the site boundary  
 Equipment: Fit compressors, percussion tools and vehicles with effective silencers of a type recommended by manufacturers of the compressors, tools or vehicles.  
 Restrictions: Do not use:  
 - Percussion tools and other noisy appliances without consent during the hours of  
 outside working hours  
 - Radios or other audio equipment or permit employees to use in ways or at times that may cause nuisance.
- 340 Pollution**  
 Prevention: Protect the site, the Works and the general environment including the atmosphere, land, streams and waterways against pollution.  
 Contamination: If pollution occurs inform immediately, including to the appropriate Authorities and provide relevant information.
- 350 Pesticides**  
 Use: Not permitted.

**Total for page £**

To be carried forward to General Summary (page 35)



- 360 Nuisance**  
Duty: Prevent nuisance from smoke, dust, rubbish, vermin and other causes.  
Surface water: Prevent hazardous build-up on site, in excavations and to surrounding areas and roads.
- 370 Asbestos containing materials**  
Duty: Report immediately any suspected materials discovered during execution of the Works.  
- Do not disturb.  
- Agree methods for safe removal or encapsulation.
- 371 Dangerous or hazardous substances**  
Duty: Report immediately suspected materials discovered during execution of the Works.  
- Do not disturb.  
- Agree methods for safe removal or remediation.
- 380 Fire prevention**  
Duty: Prevent personal injury or death, and damage to the Works or other property from fire.  
Standard: Comply with Joint Code of Practice 'Fire Prevention on Construction Sites', published by Construction Industry Publications and The Fire Protection Association (The 'Joint Fire Code').
- 390 Smoking on site**  
Smoking on site: Not permitted.
- 400 Burning on site**  
Burning on site: Not permitted.
- 410 Moisture**  
Wetness or dampness: Prevent, where this may cause damage to the Works.  
Drying out: Control humidity and the application of heat to prevent:  
- Blistering and failure of adhesion.  
- Damage due to trapped moisture.  
- Excessive movement.
- 420 Infected timber/ Contaminated materials**  
Removal: Where instructed to remove material affected by fungal/ insect attack from the building, minimize the risk of infecting other parts of the building.  
Testing: carry out and keep records of appropriate tests to demonstrate that hazards presented by concentrations of airborne particles, toxins and other micro organisms are within acceptable levels.

**Total for page £**

To be carried forward to General Summary (page 35)

**430 Waste**

Includes: Rubbish, debris, spoil, surplus material, containers and packaging.  
 General: Minimize production. Prevent accumulations. Keep the site and Works clean and tidy.

Handling: Collect and store in suitable containers. Remove frequently and dispose off site in a safe and competent manner:

- Non-hazardous material: In a manner approved by the Waste Regulation Authority.

- Hazardous material: As directed by the Waste Regulation Authority and in accordance with relevant regulations.

Recyclable material: Sort and dispose at a Materials Recycling Facility approved by the Waste Regulation Authority.

VOIDS and cavities in the construction: Remove rubbish, dirt and residues before closing in.

Waste transfer documentation: Retain on site.

**460 Powder actuated fixing systems**

Use: Not permitted.

**510 Existing services**

Confirmation: Notify all service authorities, statutory undertakers and/ or adjacent owners of proposed works not less than one week before commencing site operations.

Identification: Before starting work, check and mark positions of utilities/ services. Where positions are not shown on drawings obtain relevant details from service authorities, statutory undertakers or other owners.

Work adjacent to services:

- Comply with service authority's/ statutory undertaker's recommendations.

- Adequately protect, and prevent damage to services: Do not interfere with their operation without consent of service authorities/ statutory undertakers or other owners.

Identifying services:

- Below ground: Use signboards, giving type and depth;

- Overhead: Use headroom markers.

Damage to services: If any results from execution of the Works:

- Immediately give notice and notify appropriate service authority/ statutory undertaker.

- Make arrangements for the work to be made good without delay to the satisfaction of service authority/ statutory undertaker or other owner as appropriate.

- Any measures taken to deal with an emergency will not affect the extent of the Contractor's liability.

Marker tapes or protective covers: Replace, if disturbed during site operations, to service authority's/ statutory undertakers recommendations.

**520 Roads and footpaths**

Duty: Maintain roads and footpaths within and adjacent to the site and keep clear of mud and debris.

Damage caused by site traffic or otherwise consequent upon the Works: Make good to the satisfaction of the Employer, Local Authority or other owner.

**Total for page £**

To be carried forward to General Summary (page 35)

- 560 Existing features**  
 Protection: Prevent damage to existing buildings, fences, gates, walls, roads, paved areas and other site features, which are to remain in position during execution of the Works.  
 Special requirements:  
 All areas to made weather tight prior to cessation of work on each working day
- 570 Existing work**  
 Protection: Prevent damage to existing work, structures or other property during the course of the work.  
 Removal: Minimum amount necessary.  
 Replacement work: To match existing.
- 580 Building interiors**  
 Protection: Prevent damage from exposure to the environment, including weather, flora, fauna, and other causes of material degradation during the course of the work.
- 620 Adjoining property**  
 Agreement: Access to and/ or use of the following has been agreed with adjacent owners:  
 TBA  
 Permission: Obtain as necessary from other owners if requiring to erect scaffolding on or otherwise use adjoining property.
- 625 Adjoining property restrictions**  
 Precautions:  
 - Prevent trespass of workpeople and take precautions to prevent damage to adjoining property.  
 - Pay all charges.  
 - Remove and make good on completion or when directed.  
 Damage: Bear cost of repairing damage arising from execution of the Works.
- 630 Existing structures**  
 Duty: Check proposed methods of work for effects on adjacent structures inside and outside the site boundary.  
 Supports: During execution of the Works:  
 - Provide and maintain all incidental shoring, strutting, needling and other supports as may be necessary to preserve stability of existing structures on the site or adjoining, that may be endangered or affected by the Works.  
 - Do not remove until new work is strong enough to support existing structure.  
 - Prevent overstressing of completed work when removing supports.  
 Adjacent structures: Monitor and immediately report excessive movement.  
 Standard: Comply with BS 5975 and BS EN 12812.
- 640 Materials for recycling/ reuse**  
 Duty: Sort and prevent damage to stated products or materials, clean off bedding and jointing materials and other contaminants.  
 Storage: Stack neatly and protect until required by the Employer or for use in the Works as instructed.

**Total for page £**

To be carried forward to General Summary (page 35)

## **A35 SPECIFIC LIMITATIONS ON METHOD/ SEQUENCE/ TIMING**

£

### **160 Use or disposal of materials**

Specific limitations:

Requirement to place all waste materials in a covered and lockable skip for both the main contractor & all sub-contractors working on site.

### **170 Working Hours**

Specific limitations:

Works to proceed between the hours of 8am to 5pm during the working week Monday to Friday.

## **A36 FACILITIES/ TEMPORARY WORK/ SERVICES**

### **GENERALLY**

### **110 Spoil heaps, temporary works and services**

Location: Give notice and details of intended siting.

Maintenance: Alter, adapt and move as necessary. Remove when no longer required and make good.

### **230 Temporary accommodation**

Proposals for temporary accommodation and storage for the Works: Submit two weeks prior to starting on site.

Details to be included: Type of accommodation and storage, its siting and the programme for site installation and removal.

### **310 Roads**

Permanent roads, hard standings and footpaths on the site: The following may be used, subject to clause A34/520:

- Details:

Rear yard and front footpaths

- Restrictions on use:

Ensure access is maintained

- Protective or remedial measures:

Provide protective boarding to all soft landscaping areas where temporary plant, cabins, storage is going to be located on site for the duration of the works. Allow for making good to any damaged areas on completion of the works.

### **320 Temporary works**

Employer's specific requirements: Provide:

Provide temporary access scaffolding for working at height for both main contractors employees and for all sub-contractors for the duration of the works.

Provide covered and lockable skips for main contractors requirements and also for all sub-contractors to use and dispose of rubbish/debris for the duration of the works. Principle contractor is responsible for all temporary works appointments and design.

### **540 Meter readings**

Charges for service supplies: Where to be apportioned ensure that:

- Meter readings are taken by relevant authority at possession and/ or completion as appropriate.

- Copies of readings are supplied to interested parties.

**Total for page £**

To be carried forward to General Summary (page 35)

## **A37 OPERATION/ MAINTENANCE OF THE FINISHED WORKS**

£

### **110 The building manual**

Responsibility:

The Contractor

Content: Obtain and provide comprehensive information for owners and users of the completed Works. Include an overview of the main design principles and describe key components and systems within the finished Works, so affording a complete understanding of the Works, including all buildings and their systems to enable efficient and safe operation and maintenance.

Specific requirements:

Format:

PDF format

Number of copies:

1

Delivery to:

emma.roberts@blackpool.gov.uk . by (date)

Two weeks before practical completion

### **115 The Health and Safety File**

Responsibility:

the contractor

Content: Obtain and provide the following information:

Information agreed with the Principal Designer

Format:

PDF format

Delivery to:

emma.roberts@blackpool.gov.uk

By (date):

One week before practical completion

### **155 Content of the building manual**

General: Details of the property, the parties, fire safety strategy, operational requirements and constraints of a general nature.

Building fabric: Design criteria, maintenance details, product details, and environmental and trafficking conditions.

Building services: Description and operation of systems, diagrammatic drawings, record drawings, identification of services, product details, equipment settings, maintenance schedules, consumable items, spares and emergency procedures.

Documentation: Guarantees, warranties, maintenance agreements, test certificates and reports.

### **160 Presentation of building manual**

Format: A4 size, plastics covered, loose leaf, four ring binders with hard covers, each indexed, divided and appropriately cover titled.

Selected drawings needed to illustrate or locate items mentioned in the Manual:

Where larger than A4, to be folded and accommodated in the binders so that they may be unfolded without being detached from the rings.

As-built drawings: The main sets may form annexes to the Manual.

### **168 Presentation of building manual**

Format: Two times electronic copies in word on pen drive

**Total for page £**

To be carried forward to General Summary (page 35)

## **A40 CONTRACTOR'S GENERAL COST ITEMS: MANAGEMENT AND STAFF**

### **110 Management and staff**

Cost significant items:

Full time supervision of the works for the duration of the contract

## **A41 CONTRACTOR'S GENERAL COST ITEMS: SITE ACCOMMODATION**

### **110 Site accommodation**

Details: Site accommodation required to be provided by Principle Contractor:  
See section A36.

Cost significant items:

Provide self contained welfare unit to include toilet that is independant of any connection to mains services for both main contractor employees & all sub-contract site staff for the duration of works. Provide suitable welfare facilities for all operatives and site staff. Location of facilities to be proposed by Principle contractor.

## **A44 CONTRACTOR'S GENERAL COST ITEMS: TEMPORARY WORKS**

### **110 Temporary works**

Details: Temporary works required or made/ not made available by the Employer: See section A36.

Cost significant items:

Scaffolding

## **A54 PROVISIONAL WORK/ ITEMS**

### **110 Provisional sums for defined work**

Item:

Structural timber

Description of work:

Repair/ replace defective timbers as required

Provisional Sums: Include

£15,000

Allow for general attendance.

**Total for page £**

To be carried forward to General Summary (page 35)

**310 Provisional sums for work by specialist subcontractors**

£

Item:

Asbestos Survey

Description of work:

R and D survey

Provisional Sums: Include

Employers cost

Add for profit:

N/A%.

Allow for the following special attendance:

2 Days for 1 operative, include for OHP

Allow for general attendance.

**Total for page £**

To be carried forward to General Summary (page 35)

## A55 DAYWORKS

£

### 150 Daywork Charges

General: Where an instruction is issued requiring a variation which is not of a similar character or executed under similar conditions to work included in the Contract and where work cannot properly be measured and valued, the Contractor shall be allowed payment on a daywork basis at the following rates:

Prime cost of labour: The sum of £

Please insert your cost for dayworks per hour

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your incidental costs and overheads %.

Prime cost of materials and goods: The sum of £

To be presented to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit for materials and goods %.

Electrical: Prime cost of labour: The sum of £

Please insert your cost for dayworks per hour

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit %.

Prime cost of materials and goods:

To be submitted to CA for approval

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit %

Prime cost of plant:

To be submitted to CA for approval

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit %.

---

Prime cost of materials and goods:

Costs to be submitted to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit %.

Prime cost of plant: The sum of £

Costs to be submitted to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit %.

Building Engineering Services: Prime cost of labour: The sum of £

**Total for page £**

To be carried forward to General Summary (page 35)



Please insert your cost

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit

%.

Prime cost of materials and goods: The sum of £

Costs to be submitted to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit

%.

Prime cost of plant: The sum of £

Costs to be submitted to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit

%.

Plumbing, Heating and Mechanical Services contractors: Prime cost of labour:

The Sum of £

Please insert your cost

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit

%.

Prime cost of materials and goods: The Sum of £

Costs to be submitted to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit

%.

Prime cost of plant: The Sum of £

Costs to be submitted to CA

- Percentage adjustment to cover incidental costs, overheads and profit:

Please insert your costs incidental costs, overheads and profit

%.

£

**Total for page £**

To be carried forward to General Summary (page 35)

**Kent Rd Roof**

<b>General Summary (page 1 of 2)</b>	<b>£</b>
Page 3	
Page 4	
Page 5	
Page 6	
Page 7	
Page 8	
Page 9	
Page 10	
Page 11	
Page 12	
Page 13	
Page 14	
Page 15	
Page 16	
Page 17	
Page 18	
Page 19	
Page 20	
<b>Total carried to next page £</b>	

